INDEX TO VOLUME 55

Author index*

A

Adkinson, SR: Relating denture teeth to the occlusal plane. 1986; 55:274-6

Akagawa Y, Hashimoto M, Kondo N, Satomi K, Takata T, Tsuru H: Initial bone-implant interfaces of submergible and supramergible endosseous single-crystal sapphire implants. 1986; 55:96-100

Albino JE (*see* Davis et al). 1986; 55:59-63

Alderson TH (*see* Sposetti et al). 1986; 55:265-73

Alexander JM (*see* Crabtree et al). 1986; 55:137-9

Ampil JP, Wegmann CS, Gambrell K: Use of magnets for staple mandibular implants. 1986; 55:367-9

Anderson AW (*see* Schimelmitz et al). 1986; 55:189-94

Anderson JA, Saunders TR: Modified clinical procedure for nasal moulage. 1986; 55:661 (Tips)

Anusavice KJ, Shafagh I: Inert gas presoldering of nickel-chromium alloys. 1986; 55:317-23

Aquilino SA, Jordan RD, Turner KA, Leary JM: Multiple cast post and cores for severely worn anterior teeth. 1986; 55:430-3

—— (*see* Jordan et al). 1986; 55:567-74

—— (*see* Krell et al). 1986; 55:46-9

Arcuri M: Structural effects of bleaching on tetracycline-stained vital rat teeth. 1986; 55:662 (Letter)

Asgar K (*see* Lofstrom and Asgar). 1986; 55:416-21

—— (*see* Monday and Asgar). 1986; 55:23-7

Ashrafi SH (*see* Schimelmitz et al). 1986; 55:189-94

Atsuta M (*see* Tanaka et al). 1986; 55:456-62

Atwood DA (*see* Nishimura et al). 1986; 55:133 (Abst.)

Aunan DC (*see* Chan et al). 1986; 55:18-20

B

Baima RF: Extension of clinical crown length. 1986; 55:547-51

Balshi TJ (*see* Garver et al). 1986; 55:140-1

Bapna MS (*see* Schimelmitz et al). 1986; 55:189-94

Barghi N (*see* Pond et al). 1986; 55:498-500

Barnwell GM (*see* Pond et al). 1986; 55:498-500

Barouch E (*see* Gelb et al). 1986; 55:184-5

Baumrind S (*see* Bellagamba et al). 1986; 55:625-8

Beard CC, Clayton JA: Electronic PRI consistency in diagnosing temporomandibular joint dysfunction. 1986; 55:255-9

—— (*see* Clayton and Beard). 1986; 55:500-5

Beirne OR, Curtis TA, Greenspan JS: Mandibular augmentation with hydroxyapatite. 1986; 55:362-7

Bellagamba RL, Brigante RF, Baumrind S: Three-dimensional radiographic study of the positional relationship of complete dentures: A pilot study. 1986; 55:625-8

Benson BW, Bomberg TJ, Hatch RA, Hoffman W Jr: Tissue displacement methods in fixed prosthodontics. 1986; 55:175-81

Benvegnu G (*see* Mongini et al). 1986; 55:638-49

Berry EA, Berry LN: Die spacer removal. 1986; 55:146-7 (Tips)

Berry LN (*see* Berry and Berry). 1986; 55:146-7 (Tips)

Beumer J III (*see* Mankovich et al). 1986; 55:606-9

Biedermann KG, Fehling AW: Cement relief for cast dowel-cores under existing crowns. 1986; 55:530 (Tips)

Billington RW: Relative shear bond strengths of luting media with various core materials. 1986; 55:284 (Letter)

Bogan RL (*see* Ghalichebaf et al). 1986; 55:221-5

Bomberg TJ (*see* Benson et al). 1986; 55:175-81

—— (*see* Goldfogel and Bomberg). 1986; 55:510-2

—— (*see* Hoffman W Jr et al). 1986; 55:219-21

Boyer DB (*see* Chan et al). 1986; 55:18-20

Boyne P (*see* Truitt et al). 1986; 55:494-7

Braem M, Lambrechts P, Vanherle G: Clinical evaluation of dental adhesive systems. Part II: A scanning electron microscopy study. 1986; 55:551-60

—— (*see* Vanherle et al). 1986; 55:157-63

Brandau HE (*see* Yaman and Brandau). 1986; 55:328-31

Branemark P-I (*see* Parel et al). 1986; 55:490-4, 600-6

Brigante RF (*see* Bellagamba et al). 1986; 55:625-8

Browning JD, Jameson WE, Stewart CD, McGarrah HE, Eick JD: Effect of positional loading of three removable partial denture clasp assemblies on movement of abutment teeth. 1986; 55:347-51

——, Meadors LW, Eick JD: Movement of three removable partial denture clasp assemblies under occlusal loading. 1986; 55:69-74

Brudvik JS (*see* Matheson et al). 1986; 55:226-31

—— (*see* Morris and Brudvik). 1986; 55:75-7

—— (*see* Stampalia et al). 1986; 55:694-8

Bruggers K, Corcoran C, Jeansonne EE, Sarkar NK: Role of manganese in alloy-porcelain bonding. 1986; 55:453-6

Burchett PJ Jr (*see* Christensen and Burchett Jr). 1986; 55: 280 (Tips)

Byrd C (*see* Hurst et al). 1986; 55:597-9

Byrne G, Goodacre CJ, Dykema RW, Moore BK: Casting accuracy of high-palladium alloys. 1986; 55:297-301

C

Campagni WV, Prince J, Defreese C: Measurement of coating agents used for surface protection of stone dies. 1986; 55:470-4

——, Wright W, Martinoff JT: Effect of die spacer on the seating of complete cast gold crowns with grooves. 1986; 55:324-8

Campbell SD: The effect of sintering temperature on the dimensional stability of a new ceramic coping. 1986; 55:309-12

Canales ML (*see* Troendle et al). 1986; 55:277-9

Caputo AA (*see* Cooney et al). 1986; 55:540-6

—— (*see* Ichida and Caputa). 1986; 55:168-75

—— (*see* Jochen et al). 1986; 55:186-8

—— (*see* Pezzoli et al). 1986; 55:475-80

Cardash HS, Liberman R, Helft M: The effect of retention grooves in acrylic resin teeth on tooth denture-base bond. 1986; 55:526-8

Caswell CW, Norling BK: Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material. 1986; 55:701-8

Chalian VA (*see* Ghalichebaf et al). 1986; 55:221-5

Chan KC, Boyer DB, Denehy GE, Aunan DC: Effect of metal etching on crown retention. 1986; 55:18-20

Chosak A (*see* Houpt et al). 1986; 55:164-8

Chow TW, Clark RKF, Darvell BW: A cephalometric method to determine the angulation of the occlusal plane in edentulous patients. 1986; 55:662-3 (Letter)

Christensen LC, Burchett PJ Jr: Waxing crowns using acrylic resin copings. 1986; 55:280 (Tips)

Clark GT, Lynn P: Horizontal plane jaw movements in controls and clinic patients with temporomandibular joint dysfunction. 1986; 55:730-5

Clark RKF (*see* Chow et al). 1986; 55:662-3 (Letter)

Clayton JA: Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I. 1986; 55:282-3 (Letter)

——, Beard CC: An electronic, computerized pantographic reproducibility index for diagnosing temporomandibular joint dysfunction. 1986; 55:500-5

—— (*see* Beard and Clayton). 1986; 55:255-9

—— (*see* Donaldson and Clayton). 1986; 55:52-8

*January, 1-156; February, 157-292; March, 293-412; April, 413-536; May, 537-670; June, 671-806.

Cleaton-Jones P (*see* Wolfaardt et al). 1986; **55**:393-400, 518-25
Comella MC (*see* Nelson et al). 1986; **55**:122-7, 400-3
Conlon M (*see* Sposetti et al). 1986; **55**:265-73
Cook PA (*see* Hansen et al). 1986; **55**:480-1
Cooley RL (*see* Lubow and Cooley). 1986; **55**:462-5
Cooney JP, Caputo AA, Trabert KC: Retention and stress distribution of tapered-end endodontic posts. 1986; **55**:540-6
Corcoran C (*see* Bruggers et al). 1986; **55**:453-6
Covington JS (*see* Wendt Jr and Covington). 1986; **55**:578-82
Crabtree DG, Dewey HB Jr, Alexander JM: Surgical template as a guide for reduction of maxillary tuberosities. 1986; **55**:137-9
Craig RG (*see* Johnson and Craig). 1986; **55**:1-6, 197-203
Cranin AN, Sher J, Schilb TP: The transosteal implant: A 17-year review and report. 1986; **55**:709-17
Curtis DA, Sorensen JA: Errors incurred in programming a fully adjustable articulator with a pantograph. 1986; **55**:427-9
—— (*see* Mankovich et al). 1986; **55**:606-9
Curtis TA (*see* Beirne et al). 1986; **55**:362-7
—— (*see* Tran et al). 1986; **55**:671-3

D

Damiani PJ (*see* Nishimura et al). 1986; **55**:133 (Abst.)
Darvell BW (*see* Chow et al). 1986; **55**:662-3 (Letter)
Davidson CL: Resisting the curing contraction with adhesive composites. 1986; **55**:446-7
Davis DR, Preble JS: Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material. 1986; **55**:304-8
Davis EL, Albino JE, Tedesco LA, Portenoy BS, Ortman LF: Expectations and satisfaction of denture patients in a university clinic. 1986; **55**:59-63
de Araujo PA, Jørgensen KD: Improved accuracy by reheating addition-reaction silicone impressions. 1986; **55**:11-2
de Delgado MM, Garcia LT, Rudd KD: Camouflaging partial denture clasps. 1986; **55**:656-60
De Laat A, van Steenberghe D, Lesaffre E: Occlusal relationships and temporomandibular joint dysfunction. Part II: Correlations between occlusal and articular parameters and symptoms of TMJ dysfunction by means of stepwise logistic regression. 1986; **55**:116-21
Defreese C (*see* Campagni et al). 1986; **55**:470-4
Deheny GE (*see* Chan et al). 1986; **55**:18-20
Demetriou PP (*see* Polyzois et al). 1986; **55**:513-7
Dewey HB Jr (*see* Crabtree et al). 1986; **55**:137-9
Dilorenzo SC, Duke ES, Norling BK: Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy. 1986; **55**:27-30
Dilts WE: Relative shear bond strengths of luting media with various core materials. 1986; **55**:284 (Letter reply)
——, Miller RC, Miranda FJ, Duncanson MG Jr: Effect of zinc oxide–eugenol on shear bond strengths of seleeted core/cement combinations. 1986; **55**:206-8
Dogon IL (*see* Kay et al). 1986; **55**:13-8
Donaldson K, Clayton JA: Comparison of mandibular movements recorded by two pantographs. 1986; **55**:52-8
Doukoudakis AA (*see* Rasmussen and Doukoudakis). 1986; **55**:447-52
Drago CJ: Bruxism and its effect on the natural teeth. 1986; **55**:281 (Letter)
Draheim RN (*see* Titus and Draheim). 1986; **55**:43-6
Duerst L (*see* Hill et al). 1986; **55**:691-3
Duke ES (*see* Dilorenzo et al). 1986; **55**:27-30
—— (*see* Schrader et al). 1986; **55**:302-4
Duncanson MG Jr (*see* Dilts et al). 1986; **55**:206-8
Dykema RW (*see* Byrne et al). 1986; **55**:297-301

E

Eames WB (*see* Scrabeck et al). 1986; **55**:332-4
Earl A (*see* Ngo et al). 1986; **55**:203-5
Ecker GA: Fiberoptic illumination in radicular restorations. 1986; **55**:433-4
Eick JD (*see* Browning et al). 1986; **55**:69-74, 347-51
Eidelman E (*see* Houpt et al). 1986; **55**:164-8
Eriksson L, Westesson PL: Diskectomy in the treatment of anterior disk displacement of the temporomandibular joint: A clinical and radiologic one-year follow-up study. 1986; **55**:106-16
Ettala-Ylitalo UM, Markkanen H, Uli-Urpo A: Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis. 1986; **55**:252-5

F

Fatti P (*see* Wolfaardt et al). 1986; **55**:393-400, 518-25
Faulkner MG (*see* Hatcher et al). 1986; **55**:377-84
Fehling AW, Hesby RA, Pelleu GB Jr: Dimensional stability of autopolymerizing acrylic resin impression trays. 1986; **55**:592-7
——, Sansom BP, Meiser ET, Johnson PF: Cast connectors: An alternative to soldering base metal alloys. 1986; **55**:195-7
Fine L (*see* Mostofi et al). 1986; **55**:589-92
Firtell DN, Kouyoumdjian JH, Holmes JB: Attitudes toward abutment preparation for removable partial dentures. 1986; **55**:131-3
Fischer WG (*see* Saini et al). 1986; **55**:621-4
Fitzig S (*see* Gazit et al). 1986; **55**:505-9
Frank AL (*see* Glick and Frank). 1986; **55**:212-5
Friedman SJ (*see* Osborne and Friedman). 1986; **55**:335-9
Fujiyama E (*see* Tanaka et al). 1986; **55**:456-62
Fuks A (*see* Houpt et al). 1986; **55**:164-8

G

Gambrell K (*see* Ampil et al). 1986; **55**:367-9
Garcia LT (*see* de Delgado et al). 1986; **55**:656-60
Garrett NR, Kapur KK: Replicability of electromyographic recordings of the masseter muscle during mastication. 1986; **55**:352-6
Garry JF: Effect of interocclusal records on transverse axis positions. 1986; **55**:282 (Letter)
Garver DG, Rim R, Balshi TJ: An improved method to maintain proper tooth relation while processing distal-extension denture bases. 1986; **55**:140-1
Gazit E, Fitzig S, Lieberman MA: Reproducibility of occlusal marking techniques. 1986; **55**:505-9
Gelb MN, Barouch E, Simonsen RJ: Resistance to cusp fracture in Class II prepared and restored premolars. 1986; **55**:184-5
—— (*see* Paige et al). 1986; **55**:49-52
Gerberich WW (*see* Marker et al). 1986; **55**:560-7
Ghalichebaf M, Chalian VA, Bogan RL: A flashing-light method for recording centric relation. 1986; **55**:221-5
Gibbs CH (*see* Ito et al). 1986; **55**:610-4
—— (*see* Sposetti et al). 1986; **55**:265-73
Gion G (*see* Parel et al). 1986; **55**:600-6
Glapa C (*see* Ziebert et al). 1986; **55**:312-7
Glick DH, Frank AL: Removal of silver points and fractured posts by ultrasonics. 1986; **55**:212-5
Goldfogel MH, Bomberg TJ: Gingival margin finishing on castings: Current teaching. 1986; **55**:510-2
Goldstein GR, Hudis SI, Weintraub DE: Comparison of four techniques for the cementation of posts. 1986; **55**:209-11
—— (*see* Hudis and Goldstein). 1986; **55**:33-8
Goodacre CJ (*see* Byrne et al). 1986; **55**:297-301
Goodkind RJ (*see* Marker et al). 1986; **55**:560-7
Greenbaum J (*see* Neissen et al). 1986; **55**:128-9
Greenspan JS (*see* Beirne et al). 1986; **55**:362-7
Gross MD: Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I. 1986; **55**:283-4 (Letter reply)
Guichet D (*see* Pullinger et al). 1986; **55**:723-9

H

Hamilton AI (*see* Phillips et al). 1986; **55**:736-72
Haney SJ (*see* Schrader et al). 1986; **55**:302-4
Hansen CA: Method to avoid adherence of irreversible hydrocolloid to teeth during impression making. 1986; **55**:147-8 (Tips)
——: A method to eliminate trapping air in the palate while making impressions. 1986; **55**:405 (Tips)
——, Cook PA, Nelson DF: Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment. 1986; **55**:480-1
Hansson TL: Current concepts about the temporomandibular joint. 1986; **55**:370-1

Harrop TJ (*see* Wyatt et al). 1986; 55:343-6
Hashimoto M (*see* Akagawa et al). 1986; 55:96-100
Hatch RA (*see* Benson et al). 1986; 55:175-81
—— (*see* Hoffman W Jr et al). 1986; 55:219-21
Hatcher DC, Faulkner MG, Hay A: Development of mechanical and mathematic models to study temporomandibular joint loading. 1986; 55:377-84
Hay A (*see* Hatcher et al). 1986; 55:377-84
Haywood VB: Seating castings. 1986; 55:405-6 (Tips)
——, Ricks RM, Wall JT: A single-appointment technique for reuse of a crown after tooth fracture. 1986; 55:182-3
Helft M (*see* Cardash et al). 1986; 55:526-8
Hembree JH Jr: In vitro microleakage of a new dental adhesive system. 1986; 55:442-5
Herbold ET (*see* Schrader et al). 1986; 55:302-4
Hesby RA (*see* Fehling et al). 1986; 55:592-7
Hickey AJ: Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck. 1986; 55:78-82
Hicks MJ (*see* Scrabeck et al). 1986; 55:332-4
Highton R (*see* Pezzoli et al). 1986; 55:475-80
Hill GL, Zidan O, Duerst L: Retention of etched base metal dowels with resin cement and bonding agent. 1986; 55:691-3
—— (*see* Zidan and Hill). 1986; 55:388-92
Hirsch SM (*see* Paige et al). 1986; 55:49-52
Hobo S: Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle. 1986; 55:422-6
——: Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part II: Practical evaluations. 1986; 55:582-8
Hoffman W Jr, Bomberg TJ, Hatch RA: Interalar width as a guide in denture tooth selection. 1986; 55:219-21
—— (*see* Benson et al). 1986; 55:175-81
Hollender L (*see* Pullinger et al). 1986; 55:723-9
Holmes JB (*see* Firtell et al). 1986; 55:131-3
Holt J, Todd R, Quinn R: Light-activated composite-amalgam copings for overdentures. 1986;55:403-4
Houpt M, Eidelman E, Shey Z, Fuks A, Chosak A, Shapira J: The composite/sealant restoration: Five-year results. 1986; 55:164-8
Howell PGT (*see* Neill and Howell). 1986; 55:629-38
Hudis SI, Goldstein GR: Restoration of endodontically treated teeth: A review of the literature. 1986; 55:33-8
—— (*see* Goldstein et al). 1986; 55:209-11
Hurst TL, Tye EA, Byrd C: Snorkel or scuba diver's denture. 1986; 55:597-9
Hurtado A (*see* Ziebert et al). 1986; 55:312-7

I

Ichida E, Caputo AA: Stresses induced by endodontic stabilizers. 1986; 55:168-75
Ito T, Marguelles-Bonnet R, Lupkiewicz SM, Young HM, Lundeen HC, Mahan PE, Gibbs CH: Recommended chewing side with an anterior repositioning splint. 1986; 55:610-4

J

Jablonski DA (*see* Kay et al). 1986; 55:13-8
Jackson MJ, Seder RH, Katz AE: Oral complications of experimental plasma exchange in head and neck cancer. 1986; 55:718-22
Jaggers JH (*see* Sposetti et al). 1986; 55:265-73
James R (*see* Truitt et al). 1986; 55:494-7
Jameson WE (*see* Browning et al). 1986; 55:347-51
Janson T (*see* Parel et al). 1986; 55:490-4
Jeansonne EE (*see* Bruggers et al). 1986; 55:453-6
Jemt T: Modified single and short-span restorations supported by osseointegrated fixtures in the partially edentulous jaw. 1986; 55:243-7
——, Stålblad P-Å: The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures. 1986; 55:357-61
Jendresen MD (*see* Phillips et al). 1986; 55:736-72
Jochen DG, Caputo AA, Matyas J: Effect of metal surface treatment on ceramic bond strength. 1986; 55:186-8
Johnson GH, Craig RG: Accuracy of addition silicones as a function of technique. 1986; 55:197-203
——, ——: Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials. 1986; 55:1-6
Johnson PF (*see* Fehling et al). 1986; 55:195-7
Jones DA: Two methods for objective evaluation of change in residual alveolar ridges. 1986; 55:130
Jones DW (*see* Stampalia et al). 1986; 55:694-8
Jordan RD, Aquilino SA, Krell KV: Acid-etched splinting to a ceramometal abutment. 1986; 55:567-74
—— (*see* Aquilino et al). 1986; 55:430-3
—— (*see* Krell et al). 1986; 55:46-9
Jørgensen KD (*see* de Araujo and Jørgensen). 1986; 55:11-2

K

Kagawa T (*see* Mankovich et al). 1986; 55:606-9
Kaplan P: The four-step flow technique: A method for fabrication of wax patterns. 1986; 55:652-5
Kapur KK (*see* Garrett and Kapur). 1986; 55:352-6
Katz AE (*see* Jackson et al). 1986; 55:718-22
Kay GW, Jablonski DA, Dogon IL: Factors affecting the seating and fit of complete crowns: A computer simulation study. 1986; 55:13-8
Kolstad R (*see* Lambert and Kolstad). 1986; 55:699-700
Kondo N (*see* Akagawa et al). 1986; 55:96-100
Kotwal KR (*see* Meyer JB Jr and Kotwal). 1986; 55:87-92
Kouyoumdjian JH (*see* Firtell et al). 1986; 55:131-3
Kratochvil FJ (*see* Nimmo and Kratochvil). 1986; 55:773-5
Krell KV, Jordan RD, Madison S, Aquilino S: Using ultrasonic scalers to remove fractured root posts. 1986; 55:46-9
—— (*see* Jordan et al). 1986; 55:567-74

L

Lambert JP, Kolstad R: Effect of a benzoic acid–detergent germicide on denture-borne *Candida albicans*. 1986; 55:699-700
Lambrechts P (*see* Braem et al). 1986; 55:551-60
—— (*see* Vanherle et al). 1986; 55:157-63
Lassila V: Comparison of five interocclusal recording materials. 1986; 55:215-8
Lauer S (*see* Zalkind et al). 1986; 55:30-3
Leary JM (*see* Aquilino et al). 1986; 55:430-3
Ledoux WR: Structural effects of bleaching on tetracycline-stained vital rat teeth. 1986; 55:662 (Letter reply)
Lee H: Use of the personal computer to design processing conditions for improving dental die accuracy. 1986; 55:141-5
Lesaffre E (*see* De Laat et al). 1986; 55:116-21
Levin AC (*see* Sposetti et al). 1986; 55:677-82
Levin EI: Maxillary and mandibular teeth widths. 1986; 55:150 (Letter)
Levinson PD (*see* Neissen et al). 1986; 55:128-9
Liberman R (*see* Cardash et al). 1986; 55:526-8
Lieberman MA (*see* Gazit et al). 1986; 55:505-9
Lofstrom LH, Asgar K: Scanning electron microscopic evaluation of techniques to extend deficient cast gold. 1986; 55:416-21
Loos LG: A fixed prosthodontic technique for mandibular osseointegrated titanium implants. 1986; 55:232-42
Lubow RM, Cooley RL: Effect of air-powder abrasive instrument on restorative materials. 1986; 55:462-5
Lundeen HC (*see* Ito et al). 1986; 55:610-4
Lupkiewicz SM (*see* Ito et al). 1986; 55:610-4
Lynn P (*see* Clark and Lynn). 1986; 55:730-5

M

MacEntee MI (*see* Wyatt et al). 1986; 55:343-6
Madison S (*see* Krell et al). 1986; 55:46-9
Mahan PE (*see* Ito et al). 1986; 55:610-4
Mankovich NJ, Curtis DA, Kagawa T, Beumer J III: Comparison of computer-based fabrication of alloplastic cranial implants with conventional techniques. 1986; 55:606-9
Marguelles-Bonnet R (*see* Ito et al). 1986; 55:610-4
Marker JC, Goodkind RJ, Gerberich WW: The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs. 1986; 55:560-7
Markkanen H (*see* Ettala-Ylitalo et al). 1986; 55:252-5

Martinoff JT (*see* Campagni et al). 1986; **55**:324-8
Matheson GR, Brudvik JS, Nicholls JI: Behavior of wrought wire clasps after repeated permanent deformation. 1986; **55**:226-31
Matsumoto H, Gres JE, Marker VA, Okabe T, Ferracane JL, Harvey GA: Depth of cure of visible light-cured resin: Clinical simulation. 1986; **55**:574-8
Matyas J (*see* Jochen et al). 1986; **55**:186-8
—— (*see* Pezzoli et al). 1986; **55**:475-80
McGarrah HE (*see* Browning et al). 1986; **55**:347-51
McHorris WH (*see* Phillips et al). 1986; **55**:736-72
Meadors LW (*see* Browning et al). 1986; **55**:69-74
Meiser ET (*see* Fehling et al). 1986; **55**:195-7
Meyer JB Jr, Kotwal KR: Clinical evaluation of ramus frame and staple bone implants. 1986; **55**:87-92
Meyer JR: The regenerative potential of the periodontal ligament. 1986; **55**:260-5
Miller AW (*see* Swepston and Miller). 1986; **55**:413-6
Miller RC (*see* Dilts et al). 1986; **55**:206-8
Miller TH, Unsicker RL: Improved method to alter casts in partial denture impression making. 1986; **55**:134-6
Minsley GE, Nelson DR, Rothenberger SL: An alternative method for fabrication of a closed hollow obturator. 1986; **55**:485-90
Miranda FJ (*see* Dilts et al). 1986; **55**:206-8
Monday JJL, Asgar K: Tensile strength comparison of presoldered and postsoldered joints. 1986; **55**:23-7
Morigini F, Tempia-Valenta G, Benvegnu G: Computer-based assessment of habitual mastication. 1986; **55**:638-49
Monteiro S Jr, Sigurjons H, Swartz ML, Phillips RW, Rhodes BF: Evaluation of materials and techniques for restoration of erosion areas. 1986; **55**:434-42
Monteith BD: A cephalometric method to determine the angulation of the occlusal plane in edentulous patients. 1986; **55**:662-4 (Letter reply)
——: Evaluation of a cephalometric method of occlusal plane orientation for complete dentures. 1986; **55**:64-9
Moore BK (*see* Byrne et al). 1986; **55**:297-301
Moore DJ (*see* White and Moore). 1986; **55**:650-2
Morford HT, Tames RR, Zardiackas LB: Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from poly vinyl siloxane. 1986; **55**:466-70
Morris HF, Brudvik JS: Influence of polishing on cast clasp properties. 1986; **55**:75-7
—— (*see* Nelson et al). 1986; **55**:122-7
Mostofi RS, Soltani K, Fine L: Possible role of Koebner's phenomenon in the development of mucous membrane pemphigoid. 1986; **55**:589-92
Mount GJ: Longevity of glass ionomer cements. 1986; **55**:682-5
—— (*see* Ngo et al). 1986; **55**:203-5

N

Neill DJ, Howell PGT: Computerized kinesiography in the study of mastication in dentate subjects. 1986; **55**:629-38
Neissen LC, Strassler HS, Levinson PD, Wood G, Greenbaum J: Effect of latex gloves on setting time of polyvinylsiloxane putty impression material. 1986; **55**:128-9
Nelson DF (*see* Hansen et al). 1986; **55**:480-1
Nelson DR, Comella MC, von Gonten AS, Williams MN: Expediting the fabrication of a nickel-chromium casting. 1986; **55**:400-3
——, Palik JF, Morris HF, Comella MC: Recasting a nickel-chromium alloy. 1986; **55**:122-7
—— (*see* Minsley et al). 1986; **55**:485-90
Newitter DA: Predictable diastema reduction with filled resin: Diagnostic wax-up. 1986; **55**:293-6
Ngo H, Earl A, Mount GJ: Glass-ionomer cements: A 12-month evaluation. 1986; **55**:203-5
Nicholls JI (*see* Matheson et al). 1986; **55**:226-31
—— (*see* Stampalia et al). 1986; **55**:694-8
Nickerson DM (*see* Sposetti et al). 1986; **55**:265-73
Nimmo A, Kratochvil FJ: Preventing fractures of maxillary overdentures. 1986; **55**:773-5
Nishimura I, Damiani PJ, Atwood DA: The reduction of residual ridges (RRR) measured longitudinally in rats. 1986; **55**:133 (Abst.)
Norling BK (*see* Caswell and Norling). 1986; **55**:701-8
—— (*see* Dilorenzo et al). 1986; **55**:27-30

O

O'Grady JF, Reade PC: An occlusal splint for patients with dentures. 1986; **55**:250-1
Olsen DB (*see* Olsen et al). 1986; **55**:247-9
Olsen RA, Prentke EM, Olsen DB: A versatile and easily fabricated mouthstick. 1986; **55**:247-9
Ortman LF (*see* Davis et al). 1986; **55**:59-63
Osborne JW, Friedman SJ: Clinical evaluation of marginal fracture of amalgam restorations: One-year report. 1986; **55**:335-9
Owen CP: Factors influencing the retention and resistance of preparations for cast intracoronal restorations. 1986; **55**:674-7

P

Paige H, Hirsch SM, Gelb MN: Effects of temporary cements on crown-to-composite resin core bond strength. 1986; **55**:49-52
Palik JF (*see* Nelson et al). 1986; **55**:122-7
Parel SM, Branemark P-I, Janson T: Osseointegration in maxillofacial prosthetics. Part I: Intraoral applications. 1986; **55**:490-4
——, ——, Tjellstrom A, Gion G: Osseointegration in maxillofacial prosthetics. Part II: Extraoral applications. 1986; **55**:600-6
Pavone BW: Bruxism and its effect on the natural teeth. 1986; **55**:281 (Letter reply)
Pelleu GB Jr (*see* Fehling et al). 1986; **55**:592-7
Pezzoli M, Highton R, Caputo AA, Matyas J: Magnetizable abutment crowns for distal-extension removable partial dentures. 1986; **55**:475-80
Phillips RW, Hamilton AI, Jendresen MD, McHorris WH, Schallhorn RG: Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry. 1986; **55**:736-72
—— (*see* Monteiro et al). 1986; **55**:434-42
Pipko DJ, Spanko JE: Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant. 1986; **55**:92-6
Pocklington JR: Effect of interocclusal records on transverse axis position. 1986; **55**:281-2 (Letter)
Pohjola RT (*see* Raustia et al). 1986; **55**:372-6
Polyzois GL, Stavrakis GA, Demetriou PP: Dimensional accuracy of duplicate dentures prepared by different methods. 1986; **55**:513-7
Pond LH, Barghi N, Barnwell GM: Occlusion and chewing side preference. 1986; **55**:498-500
Portenoy BS (*see* Davis et al). 1986; **55**:59-63
Preble JS (*see* Davis and Preble). 1986; **55**:304-8
Prentke EM (*see* Olsen et al). 1986; **55**:247-9
Prince J (*see* Campagni et al). 1986; **55**:470-4
Pullinger AG: A tomographic study of mandibular condyle position in an asymptomatic population. 1986; **55**:149-50 (Letter reply)
——, Solberg WK, Hollender L, Guichet D: Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular disorders. 1986; **55**:723-9
Punwani I (*see* Schimelmitz et al). 1986; **55**:189-94

Q

Quinn R (*see* Holt et al). 1986; **55**:403-4

R

Rasmussen ST, Doukoudakis AA: The effect of using recast metal on the bond between porcelain and a gold-palladium alloy. 1986; **55**:447-52
Raustia AM, Pohjola RT, Virtanen KK: Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part II: Components of the dysfunction index. 1986; **55**:372-6
Rhodes BF (*see* Monteiro et al). 1986; **55**:434-42
Richardson JT (*see* Troendle et al). 1986; **55**:277-9
Richmond A (*see* Sposetti et al). 1986; **55**:265-73
Ricks RM (*see* Haywood et al). 1986; **55**:182-3
Rieger MR, Tanquist RA, Vainer S: The effect of a new sprue design on the castability of a base-metal alloy. 1986; **55**:686-90
Rim R (*see* Garver et al). 1986; **55**:140-1
Robbins JW: The use of a central bearing device for the dentulous patient. 1986; **55**:529 (Tips)

Rothenberger SL (*see* Minsley et al). 1986; 55:485-90
Rudd KD (*see* de Delgado et al). 1986; 55:656-60

S

Sadighi-Nouri M (*see* Stannard and Sadighi-Nouri). 1986; 55:7-10
Saini TS, Fischer WG, Verbin RS: Absorbed radiation doses in transcranial temporomandibular joint radiography. 1986; 55:621-4
Sansom BP (*see* Fehling et al). 1986; 55:195-7
Sarkar NK (*see* Bruggers et al). 1986; 55:453-6
Satomi K (*see* Akagawa et al). 1986; 55:96-100
Schallhorn RG (*see* Phillips et al). 1986; 55:736-72
Schiffleger BE (*see* Ziebert et al). 1986; 55:312-7
Schilb TP (*see* Cranin et al). 1986; 55:709-17
Schimelmitz H, Bapna MS, Punwani I, Ashrafi SH, Anderson AW: Interface corrosion in amalgam-to-amalgam and amalgam-to-nonprecious metal crown couplings. 1986; 55:189-94
Schneider RL: Modified ocular prosthesis impression technique. 1986; 55:482-5
——, Taylor TD: Mandibular resection guidance prostheses: A literature review. 1986; 55:84-6
Schrader JA, Duke ES, Haney SJ, Herbold ET: Volumetric shrinkage of a porcelain suspended in wax technique. 1986; 55:302-4
Schwartz H: Occlusal variations for reconstructing the natural dentition. 1986; 55:101-5
Scrabeck JG, Eames WB, Hicks MJ: Spatulation methods and porosities in investments and impression material. 1986; 55:332-4
Seder RH (*see* Jackson et al). 1986; 55:718-22
Sela M (*see* Taicher and Sela). 1986; 55:82-3
Shafagh I: Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method. 1986; 55:339-42
—— (*see* Anusavice and Shafagh). 1986; 55:317-23
Shapira J (*see* Houpt et al). 1986; 55:164-8
Shen C (*see* Sposetti et al). 1986; 55:677-82
Sher J (*see* Cranin et al). 1986; 55:709-17
Sherman JR Jr: Dental surveyor preventive maintenance. 1986; 55:280 (Tips)
Sherraden DR (*see* Tran et al). 1986; 55:671-3
Shey Z (*see* Houpt et al). 1986; 55:164-8
Shimizu H (*see* Tanaka et al). 1986; 55:456-62
Sigurjons H (*see* Monteiro et al). 1986; 55:434-42
Simonsen RJ (*see* Gelb et al). 1986; 55:184-5
Solberg WK (*see* Pullinger et al). 1986; 55:723-9
Soltani K (*see* Mostofi et al). 1986; 55:589-92
Sorensen JA (*see* Curtis and Sorensen). 1986; 55:427-9
Spanko JE (*see* Pipko and Spanko). 1986; 55:92-6
Sposetti VJ, Gibbs CH, Alderson TH, Jaggers JH, Richmond A, Conlon M, Nickerson DM: Bite force and muscle activity in overdenture wearers before and after attachment placement. 1986; 55:265-73
——, Shen C, Levin AC: The effect of topical fluoride application on porcelain restorations. 1986; 55:677-82
Stålblad P-Å (*see* Jemt and Stålblad). 1986; 55:357-61
Stampalia LL, Nicholls JI, Brudvik S, Jones DW: Fracture resistance of teeth with resin-bonded restorations. 1986; 55:694-8
Stannard JG, Sadighi-Nouri M: Retarders for polyvinylsiloxane impression materials: Evaluation and recommendations. 1986; 55:7-10
Stavrakis GA (*see* Polyzois et al). 1986; 55:513-7
Stern N (*see* Zalkind et al). 1986; 55:30-3
Stewart CD (*see* Browning et al). 1986; 55:347-51
Strassler H (*see* Neissen et al). 1986; 55:128-9
Swartz ML (*see* Monteiro et al). 1986; 55:434-42
Swepston JH, Miller AW: The incompletely fractured tooth. 1986; 55:413-6

T

Taicher S, Sela M: Polydimethylsiloxane button obturator for hard palate clefts. 1986; 55:82-3
Takaki A (*see* Tanaka et al). 1986; 55:456-62
Takata T (*see* Akagawa et al). 1986; 55:96-100
Tames RR (*see* Morford et al). 1986; 55:466-70
Tanaka T, Fujiyama E, Shimizu H, Takaki A, Atsuta M: Surface treatment of nonprecious alloys for adhesion-fixed partial dentures. 1986; 55:456-62
Tanquist RA (*see* Rieger et al). 1986; 55:686-90
Taylor TD (*see* Schneider and Taylor). 1986; 55:84-6
Tebrock OC: Tissue retraction for esthetic ceramometal crowns. 1986; 55:21-3
Tedesco LA (*see* Davis et al). 1986; 55:59-63
Tempia-Valenta G (*see* Mongini et al). 1986; 55:638-49
Titus HW, Draheim RN: Recording dowel pin position with plastic logs. 1986; 55:43-6
Tjellstrom A (*see* Parel et al). 1986; 55:600-6
Todd R (*see* Holt et al). 1986; 55:403-4
Trabert KC (*see* Cooney et al). 1986; 55:540-6
Tran CD, Sherraden DR, Curtis TA: A review of techniques of crown fabrication for existing removable partial dentures. 1986; 55:671-3
Troendle KB, Canales ML, Richardson JT: Temporary replacement of missing maxillary incisors. 1986; 55:277-9
Truitt HP, James R, Boyne P: Noninvasive technique for mandibular subperiosteal implant: A preliminary report. 1986; 55:494-7
Tsura H (*see* Akagawa et al). 1986; 55:96-100
Turner KA (*see* Aquilino et al). 1986; 55:430-3
Tye EA (*see* Hurst et al). 1986; 55:597-9

U

Unsicker RL (*see* Miller and Unsicker). 1986; 55:134-6

V

Vainer S (*see* Rieger et al). 1986; 55:686-90
van Steenberghe D (*see* De Laat et al). 1986; 55:116-21
Vanherle G, Verschueren M, Lambrechts P, Braem M: Clinical investigation of dental adhesive systems. Part I: An in vivo study. 1986; 55:157-63
—— (*see* Braem et al). 1986; 55:551-60
Verbin RS (*see* Saini et al). 1986; 55:621-4
Verschueren M (*see* Vanherle et al). 1986; 55:157-63
Vincelli J: A tomographic study of mandibular condyle position in an asymptomatic population. 1986; 55:149 (Letter)
Virtanen KK (*see* Raustia et al). 1986; 55:372-6
von Gonten AS (*see* Nelson et al). 1986; 55:400-3
von Kammer R: Anchored core for the rehabilitation of posterior teeth. 1986; 55:38-42

W

Wall JT (*see* Haywood et al). 1986; 55:182-3
Wegmann CS (*see* Ampil et al). 1986; 55:367-9
Weintraub DE (*see* Goldstein et al). 1986; 55:209-11
Wendt SL Jr, Covington JS: The use of light-cured composites to cement acid-etched fixed partial dentures. 1986; 55:578-82
Westesson PL (*see* Eriksson and Westesson). 1986; 55:106-16
White KC, Moore DJ: A method for simulating gingival color on aluminum alloy denture base. 1986; 55:650-2
Williams MN (*see* Nelson et al). 1986; 55:400-3
Wolfaardt JF, Cleaton-Jones P, Fatti P: The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate). 1986; 55:518-25
——, ——, ——: The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin. 1986; 55:393-400
Wood G (*see* Neissen et al). 1986; 55:128-9
Wood WW: Medial pterygoid muscle activity during chewing and clenching. 1986; 55:615-21
Wright WE: Success with the cantilever fixed partial denture. 1986; 55:537-9
—— (*see* Campagni et al). 1986; 55:324-8
Wunderlich RC, Yaman P: In vitro effect of topical fluoride on dental porcelain. 1986; 55:385-8
Wyatt CCL, Harrop TJ, MacEntee MI: A comparison of physical characteristics of six hard denture reline materials. 1986; 55:343-6

Y

Yaman P, Brandau HE: Comparison of three epoxy die materials. 1986; 55:328-31

—— (*see* Wunderlich and Yaman). 1986; **55**:385-8
Yli-Urpo A (*see* Ettala-Ylitalo et al). 1986; **55**:252-5
Young HM (*see* Ito et al). 1986; **55**:610-4

Z

Zalkind M, Lauer S, Stern N: Porcelain surface texture after reduction and natural glazing. 1986; **55**:30-3
Zardiackas LB (*see* Morford et al). 1986; **55**:466-70
Zidan O, Hill G: Phosphoric acid concentration: Enamel surface loss and bonding strength. 1986; **55**:388-92
—— (*see* Hill et al). 1986; **55**:691-3
Ziebert GJ, Hurtado A, Glapa C, Schiffleger BE: Accuracy of one-piece castings, preceramic and postceramic soldering. 1986; **55**:312-7
Zuckerman GR: Interim immediate complete denture. 1986; **55**:146 (Tips)

Subject index*

A

Abrasion
Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material (Caswell and Norling). 1986; **55**:701-8
Effect of air-powder abrasive instrument on restorative materials (Lubow and Cooley). 1986; **55**:462-5
Absorbed radiation dose
Absorbed radiation doses in transcranial temporomandibular joint radiography (Saini et al). 1986; **55**:621-4
Abutment
Acid-etched splinting to a ceramometal abutment (Jordan et al). 1986; **55**:567-74
Attitudes toward abutment preparation for removable partial dentures (Firtell et al). 1986; **55**:131-3
Effect of positional loading of three removable partial denture clasp assemblies on movement of abutment teeth (Browning et al). 1986; **55**:347-51
Magnetizable abutment crowns for distal-extension removable partial dentures (Pezzoli et al). 1986; **55**:475-80
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; **55**:480-1
Accuracy
Accuracy of addition silicones as a function of technique (Johnson and Craig). 1986; **55**:197-203
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; **55**:1-6
Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material (Davis and Preble). 1986; **55**:304-8
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; **55**:312-7
Casting accuracy of high-palladium alloys (Byrne et al). 1986; **55**:297-301
Dimensional accuracy of duplicate dentures prepared by different methods (Polyzois et al). 1986; **55**:513-7
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; **55**:466-70
Improved accuracy by reheating addition-reaction silicone impressions (de Araujo and Jørgensen). 1986; **55**:11-2
Use of the personal computer to design processing conditions for improving dental die accuracy (Lee). 1986; **55**:141-5
Acid-etching; *see also* **Etching**
Acid-etched splinting to a ceramometal abutment (Jordan et al). 1986; **55**:567-74
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; **55**:578-82
Acrylic resin; *see also* **Resin**
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al). 1986; **55**:343-6
Acrylic resin—cont'd
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; **55**:592-7
The effect of retention grooves in acrylic resin teeth on tooth denture-base bond (Cardash et al). 1986; **55**:526-8
Waxing crowns using acrylic resin copings (Christensen and Burchett Jr). 1986; **55**:280 (Tips)
Acupuncture
Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part II: Components of the dysfunction index (Raustia et al). 1986; **55**:372-6
Addition silicone
Accuracy of addition silicones as a function of technique (Johnson and Craig). 1986; **55**:197-203
Improved accuracy by reheating addition-reaction silicone impressions (de Araujo and Jørgensen). 1986; **55**:11-2
Adherence
Method to avoid adherence of irreversible hydrocolloid to teeth during impression making (Hansen). 1986; **55**:147-8 (Tips)
Adhesive; *see also* **Cement**
Clinical investigation of dental adhesive systems. Part I: An in vivo study (Vanherle et al). 1986; **55**:157-63
Clinical evaluation of dental adhesive systems. Part II: A scanning electron microscopy study (Braem et al). 1986; **55**:551-60
Resisting the curing contraction with adhesive composites (Davidson). 1986; **55**:446-7
In vitro microleakage of a new dental adhesive system (Hembree Jr). 1986; **55**:442-5
Adjustable articulator
Errors incurred in programming a fully adjustable articulator with a pantograph (Curtis and Sorensen). 1986; **55**:427-9
Agar
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; **55**:1-6
Air
Effect of air-powder abrasive instrument on restorative materials (Lubow and Cooley). 1986; **55**:462-5
A method to eliminate trapping air in the palate while making impressions (Hansen). 1986; **55**:405 (Tips)
Alginate
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; **55**:1-6
Alloplastic implant
Comparison of computer-based fabrication of alloplastic cranial implants with conventional techniques (Mankovich et al). 1986; **55**:606-9
Alloy
Behavior of wrought wire clasps after repeated permanent deformation (Matheson et al). 1986; **55**:226-31
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; **55**:195-733
Casting accuracy of high-palladium alloys (Byrne et al). 1986; **55**:297-301
Clinical evaluation of marginal fracture of amalgam restorations: One-year report (Osborne and Friedman). 1986; **55**:335-9

*January, 1-156; February, 157-292; March, 293-412; April, 413-536; May, 537-670; June, 671-806.

Alloy—cont'd
The effect of a new sprue design on the castability of a base-metal alloy (Rieger et al). 1986; 55:686-90
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; 55:447-52
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
A method for simulating gingival color on aluminum alloy denture base (White and Moore). 1986; 55:650-2
Recasting a nickel-chromium alloy (Nelson et al). 1986; 55:122-7
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:761-2
Role of manganese in alloy-porcelain bonding (Bruggers et al). 1986; 55:453-6
Surface treatment of nonprecious alloys for adhesion-fixed partial dentures (Tanaka et al). 1986; 55:456-62
Aluminum alloy
A method for simulating gingival color on aluminum alloy denture base (White and Moore). 1986; 55:650-2
Alveolar ridge
Mandibular augmentation with hydroxyapatite (Beirne et al). 1986; 55:362-7
Two methods for objective evaluation of change in residual alveolar ridges (Jones). 1986; 55:130
Amalgam
Clinical evaluation of marginal fracture of amalgam restorations: One-year report (Osborne and Friedman). 1986; 55:335-9
Interface corrosion in amalgam-to-amalgam and amalgam-to-nonprecious metal crown couplings (Schimelmitz et al). 1986; 55:189-94
Light-activated composite-amalgam copings for overdentures (Holt et al). 1986; 55:403-4
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:760-1
American Academy of Restorative Dentistry
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:736-72
Anchored core; *see also* **Core**
Anchored core for the rehabilitation of posterior teeth (von Krammer). 1986; 55:38-42
Angulation of occlusal plane; *see also* **Occlusal plane**
A cephalometric method to determine the angulation of the occlusal plane in edentulous patients (Chow et al) (Letter); (Monteith) (Reply). 1986; 55:662-4
Anterior disk displacement
Diskectomy in the treatment of anterior disk displacement of the temporomandibular joint: A clinical and radiologic one-year follow-up study (Eriksson and Westesson). 1986; 55:106-16
Anterior guidance incline
Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I (Clayton) (Letter); (Gross) (Reply). 1986; 55:282-4
Anterior repositioning splint
Recommended chewing side with an anterior repositioning splint (Ito et al). 1986; 55:610-4
Anterior tooth; *see also* **Tooth**
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; 55:219-21
Multiple cast post and cores for severely worn anterior teeth (Aquilino et al). 1986; 55:430-3
Antibacterial therapy
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:737-8, 744
Articulation
Relating denture teeth to the occlusal plane (Adkisson). 1986; 55:274-6
Articulator
Errors incurred in programming a fully adjustable articulator with a pantograph (Curtis and Sorensen). 1986; 55:427-9
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part II: Practical evaluations (Hobo). 1986; 55:582-8
Attachment placement
Bite force and muscle activity in overdenture wearers before and after attachment placement (Sposetti et al). 1986; 55:265-73
Augmentation
Mandibular augmentation with hydroxyapatite (Beirne et al). 1986; 55:362-7
Autopolymerizing acrylic resin
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al). 1986; 55:343-6
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; 55:592-7

B

Base metal
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; 55:195-7
The effect of a new sprue design on the castability of a base-metal alloy (Rieger et al). 1986; 55:686-90
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
Bearing device
The use of a central bearing device for the dentulous patient (Robbins). 1986; 55:529 (Tips)
Bennett angle
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Benzoic acid
Effect of benzoic acid–detergent germicide on denture-borne *Candida albicans* (Lambert et al). 1986; 55:699-700
Bite force
Bite force and muscle activity in overdenture wearers before and after attachment placement (Sposetti et al). 1986; 55:265-73
Bleach
Structural effects of bleaching on tetracycline-stained vital rat teeth (Arcuri) (Letter); (Ledoux) (Reply). 1986; 55:662
Bond
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; 55:1-6
Clinical investigation of dental adhesive systems. Part I: An in vivo study (Vanherle et al). 1986; 55:157-63
Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material (Caswell and Norling). 1986; 55:701-8
Effect of metal surface treatment on ceramic bond strength (Jochen et al). 1986; 55:186-8
The effect of retention grooves in acrylic resin teeth on tooth denture-base bond (Cardash et al). 1986; 55:526-8
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; 55:447-52
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Fracture resistance of teeth with resin-bonded restorations (Stampalia et al). 1986; 55:694-8
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Phosphoric acid concentration: Enamel surface loss and bonding strength (Zidan and Hill). 1986; 55:388-92

Bond—cont'd
Relative shear bond strengths of luting media with various core materials (Billington) (Letter); (Dilts) (Reply). 1986; 55:284
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
Role of manganese in alloy-porcelain bonding (Bruggers et al). 1986; 55:453-6
Bone implant; *see also* **Implant**
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; 55:87-92
Initial bone-implant interfaces of submergible and supramergible endosseous single-crystal sapphire implants (Akagawa et al). 1986; 55:96-100
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-633
Bruxism
Bruxism and its effect on the natural teeth (Drago) (Letter); (Pavone) (Reply). 1986; 55:281
Button obturator
Polydimethylsiloxane button obturator for hard palate clefts (Taicher and Sela). 1986; 55:82-3

C

Camouflage
Camouflaging partial denture clasps (de Delgado et al). 1986; 55:656-60
Cancer
Oral complications of experimental plasma exchange in head and neck cancer (Jackson et al). 1986; 55:718-22
Candida albicans
Effect of benzoic acid–detergent germicide on denture-borne *Candida albicans* (Lambert et al). 1986; 55:699-700
Cantilever fixed partial denture
Success with the cantilever fixed partial denture (Wright). 1986; 55:537-9
Carcinoma
Oral complications of experimental plasma exchange in head and neck cancer (Jackson et al). 1986; 55:718-22
Caries
The regenerative potential of the periodontal ligament (Meyer). 1986; 55:260-5
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:741-4
Cast; *see also* **Cast gold; Casting**
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; 55:195-7
Cement relief for cast dowel-cores under existing crowns (Biedermann and Fehling). 1986; 55:530 (Tips)
Comparison of five interocclusal recording materials (Lassila). 1986; 55:215-8
The effect of a new sprue design on the castability of a base-metal alloy (Rieger et al). 1986; 55:686-90
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
Factors influencing the retention and resistance of preparations for cast intracoronal restorations (Owen). 1986; 55:674-7
Improved method to alter casts in partial denture impression making (Miller and Unsicker). 1986; 55:134-6
Influence of polishing on cast clasp properties (Morris and Brudvik). 1986; 55:75-7
Multiple cast post and cores for severely worn anterior teeth (Aquilino et al). 1986; 55:430-3
Recasting a nickel-chromium alloy (Nelson et al). 1986; 55:122-7
Relating denture teeth to the occlusal plane (Adkisson). 1986; 55:274-6
Cast connector
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; 55:195-7
Cast gold
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Cast gold—cont'd
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; 55:339-42
Scanning electron microscopic evaluation of techniques to extend deficient cast gold margins (Lofstrom and Asgar). 1986; 55:416-21
Casting; *see also* **Cast; Cast gold**
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; 55:312-7
Expediting the fabrication of a nickel-chromium casting (Nelson et al). 1986; 55:400-3
Gingival margin finishing on castings: Current teaching (Goldfogel and Bomberg). 1986; 55:510-2
Seating castings (Haywood). 1986; 55:405-6 (Tips)
Casting accuracy
Casting accuracy of high-palladium alloys (Byrne et al). 1986; 55:297-301
Casting alloy
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:761-2
Cement; *see also* **Adhesive**
Cement relief for cast dowel-cores under existing crowns (Biedermann and Fehling). 1986; 55:530 (Tips)
Comparison of four techniques for the cementation of posts (Goldstein et al). 1986; 55:209-11
Effect of metal etching on crown retention (Chan et al). 1986; 55:18-20
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Glass-ionomer cements: A 12-month evaluation (Ngo et al). 1986; 55:203-5
Longevity of glass ionomer cements (Mount). 1986; 55:682-5
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:759-60
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; 55:578-82
Central bearing device
The use of a central bearing device for the dentulous patient (Robbins). 1986; 55:529 (Tips)
Centric relation
A flashing-light method for recording centric relation (Ghalichebaf et al). 1986; 55:221-5
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:751
Cephalometrics
A cephalometric method to determine the angulation of the occlusal plane in edentulous patients (Chow et al) (Letter); (Monteith) (Reply). 1986; 55:662-4
Evaluation of a cephalometric method of occlusal plane orientation for complete dentures (Monteith). 1986; 55:64-9
Ceramic; *see also* **Ceramometal restoration**
Effect of metal surface treatment on ceramic bond strength (Jochen et al). 1986; 55:186-8
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55: 309-12
Ceramometal restoration
Acid-etched splinting to a ceramometal abutment (Jordan et al). 1986; 55:567-74
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; 55:560-7
Tissue retraction for esthetic ceramometal crowns (Tebrock). 1986; 55:21-3
Chewing; *see also* **Mastication**
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stålblad). 1986; 55:357-61

Chewing—cont'd
Medial pterygoid muscle activity during chewing and clenching (Wood). 1986; 55:615-21
Occlusion and chewing side preference (Pond et al). 1986; 55:498-500
Recommended chewing side with an anterior repositioning splint (Ito et al). 1986; 55:610-4
Chrome
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Chromium
Expediting the fabrication of a nickel-chromium casting (Nelson et al). 1986; 55:400-3
Inert gas presoldering of nickel-chromium alloys (Anusavice and Shafagh). 1986; 55:317-23
Recasting a nickel-chromium alloy (Nelson et al). 1986; 55:122-7
Clasp
Behavior of wrought wire clasps after repeated permanent deformation (Matheson et al). 1986; 55:226-31
Camouflaging partial denture clasps (de Delgado et al). 1986; 55:656-60
Effect of positional loading of three removable partial denture clasp assemblies on movement of abutment teeth (Browning et al). 1986; 55:347-51
Influence of polishing on cast clasp properties (Morris and Brudvik). 1986; 55:75-7
Movement of three removable partial denture clasp assemblies under occlusal loading (Browning et al). 1986; 55:69-74
Class II premolar
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; 55:184-5
Cleft palate
Polydimethylsiloxane button obturator for hard palate clefts (Taicher and Sela). 1986; 55:82-3
Clenching
Medial pterygoid muscle activity during chewing and clenching (Wood). 1986; 55:615-21
Coating agent
Measurement of coating agents used for surface protection of stone dies (Campagni et al). 1986; 55:470-4
Cobalt
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Color
A method for simulating gingival color on aluminum alloy denture base (White and Moore). 1986; 55:650-2
Complete crown; *see also* **Crown**
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Factors affecting the seating and fit of complete crowns: A computer simulation study (Kay et al). 1986; 55:13-8
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; 55:339-42
Complete denture; *see also* **Denture**
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stålblad). 1986; 55:357-61
Evaluation of a cephalometric method of occlusal plane orientation for complete dentures (Monteith). 1986; 55:64-9
Interim immediate complete denture (Zuckerman). 1986; 55:146 (Tips)
Composite
The composite/sealant restoration: Five-year results (Houpt et al). 1986; 55:164-8
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Light-activated composite-amalgam copings for overdentures (Holt et al). 1986; 55:403-4
Predictable diastema reduction with filled resin: Diagnostic wax-up (Newitter). 1986; 55:293-6
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:755-9
Composite—cont'd
Resisting the curing contraction with adhesive composites (Davidson). 1986; 55:446-7
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; 55:578-82
Compressive strength
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; 55:560-7
Computer; *see also* **Electronics**
Comparison of computer-based fabrication of alloplastic cranial implants with conventional techniques (Mankovich et al). 1986; 55:606-9
Computer-based assessment of habitual mastication (Mongini et al). 1986; 55:638-49
Computerized kinesiography in the study of mastication in dentate subjects (Neill and Howell). 1986; 55:629-38
An electronic, computerized pantographic reproducibility index for diagnosing temporomandibular joint dysfunction (Clayton and Beard). 1986; 55:500-5
Factors affecting the seating and fit of complete crowns: A computer simulation study (Kay et al). 1986; 55:13-8
Use of the personal computer to design processing conditions for improving dental die accuracy (Lee). 1986; 55:141-5
Condylar path; *see also* **Condyle**
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part II: Practical evaluations (Hobo). 1986; 55:582-8
Condyle; *see also* **Condylar path**
Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular disorders (Pullinger et al). 1986; 55:723-9
A tomographic study of mandibular condyle position in an asymptomatic population (Vincelli) (Letter); (Pullinger) (Reply). 1986; 55:149-50
Connector
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; 55:195-7
Contour
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; 55:480-1
Contraction
Resisting the curing contraction with adhesive composites (Davidson). 1986; 55:446-7
Coping
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55:309-12
Light-activated composite-amalgam copings for overdentures (Holt et al). 1986; 55:403-4
Waxing crowns using acrylic resin copings (Christensen and Burchett Jr). 1986; 55:280 (Tips)
Coping-bar
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6
Core
Anchored core for the rehabilitation of posterior teeth (von Krammer). 1986; 55:38-42
Cement relief for cast dowel-cores under existing crowns (Biedermann and Fehling). 1986; 55:530 (Tips)
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Multiple cast post and cores for severely worn anterior teeth (Aquilino et al). 1986; 55:430-3
Relative shear bond strengths of luting media with various core materials (Billington) (Letter); (Dilts) (Reply). 1986; 55:284
Restoration of endodontically treated teeth: A review of the literature (Hudis and Goldstein). 1986; 55:33-8

Correspondence
Letters. 1986; **55**:149-50, 281-4, 662-4
Corrosion
Interface corrosion in amalgam-to-amalgam and amalgam-to– nonprecious metal crown couplings (Schimelmitz et al). 1986; **55**:189-94
Coupling
Interface corrosion in amalgam-to-amalgam and amalgam-to– nonprecious metal crown couplings (Schimelmitz et al). 1986; **55**:189-94
Cranial implant
Comparison of computer-based fabrication of alloplastic cranial implants with conventional techniques (Mankovich et al). 1986; **55**:606-9
Craniomandibular function and dysfunction
Craniomandibular function and dysfunction. 1986; **55**:101-21, 250-9, 370-6, 498-509, 610-24, 723-35
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:746-53
Crown
Cement relief for cast dowel-cores under existing crowns (Biedermann and Fehling). 1986; **55**:530 (Tips)
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; **55**:324-8
Effect of metal etching on crown retention (Chan et al). 1986; **55**:18-20
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; **55**:49-52
Extension of clinical crown length (Baima). 1986; **55**:547-51
Factors affecting the seating and fit of complete crowns: A computer simulation study (Kay et al). 1986; **55**:13-8
Interface corrosion in amalgam-to-amalgam and amalgam-to– nonprecious metal crown couplings (Schimelmitz et al). 1986; **55**:189-94
Magnetizable abutment crowns for distal-extension removable partial dentures (Pezzoli et al). 1986; **55**:475-80
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; **55**:339-42
A review of techniques of crown fabrication for existing removable partial dentures (Tran et al). 1986; **55**:671-3
A single-appointment technique for reuse of a crown after tooth fracture (Haywood et al). 1986; **55**:182-3
Tissue retraction for esthetic ceramometal crowns (Tebrock). 1986; **55**:21-3
Waxing crowns using acrylic resin copings (Christensen and Burchett Jr). 1986; **55**:280 (Tips)
Curing
Depth of cure of visible light–cured resin: Clinical simulation (Matsumoto et al). 1986; **55**:574-8
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; **55**:518-25
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; **55**:393-400
Resisting the curing contraction with adhesive composites (Davidson). 1986; **55**:446-7
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; **55**:578-82
Cusp fracture
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; **55**:184-5

D

Dental adhesive; *see* **Adhesive**
Dental caries
The regenerative potential of the periodontal ligament (Meyer). 1986; **55**:260-5
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:741-4
Dental cast; *see* **Cast**
Dental die; *see* **Die**
Dental implant; *see also* **Implant**
Dental implants. 1986; **55**:78-100, 232-49, 357-69, 482-98, 600-9, 709-22
Dental materials; *see also* specific material
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:753-62
Dental porcelain; *see* **Porcelain**
Dental surveyor
Dental surveyor preventive maintenance (Sherman Jr). 1986; **55**:280 (Tips)
Dental technology
Dental technology. 1986; **55**:134-45, 274-9, 393-404, 518-28, 650-60, 733-5
Dentifrices
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:743
Denture; *see also* **Denture base; Fixed partial denture; Removable partial denture**
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al). 1986; **55**:343-6
Dimensional accuracy of duplicate dentures prepared by different methods (Polyzois et al). 1986; **55**:513-7
Effect of benzoic acid–detergent germicide on denture-borne *Candida albicans* (Lambert et al). 1986; **55**:699-700
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stålblad). 1986; **55**:357-61
Evaluation of a cephalometric method of occlusal plane orientation for complete dentures (Monteith). 1986; **55**:64-9
Expectations and satisfaction of denture patients in a university clinic (Davis et al). 1986; **55**:59-63
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; **55**:219-21
Interim immediate complete denture (Zuckerman). 1986; **55**:146 (Tips)
An occlusal splint for patients with dentures (O'Grady and Reade). 1986; **55**:250-1
Relating denture teeth to the occlusal plane (Adkisson). 1986; **55**:274-6
Snorkel or scuba diver's denture (Hurst et al). 1986; **55**:597-9
Three-dimensional radiographic study of the positional relationship of complete dentures: A pilot study (Bellagamba et al). 1986; **55**:625-8
Denture base
Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material (Caswell and Norling). 1986; **55**:701-8
The effect of retention grooves in acrylic resin teeth on tooth denture-base bond (Cardash et al). 1986; **55**:526-8
A method for simulating gingival color on aluminum alloy denture base (White and Moore). 1986; **55**:650-2
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; **55**:393-400
Detergent
Effect of benzoic acid–detergent germicide on denture-borne *Candida albicans* (Lambert et al). 1986; **55**:699-700
Diagnostic wax-up
Predictable diastema reduction with filled resin: Diagnostic wax-up (Newitter). 1986; **55**:293-6
Diastema reduction
Predictable diastema reduction with filled resin: Diagnostic wax-up (Newitter). 1986; **55**:293-6
Die
Comparison of three epoxy die materials (Yaman and Brandau). 1986; **55**:328-31
Measurement of coating agents used for surface protection of stone dies (Campagni et al). 1986; **55**:470-4
Use of the personal computer to design processing conditions for improving dental die accuracy (Lee). 1986; **55**:141-5
Die spacer
Die spacer removal (Berry III and Berry). 1986; **55**:146-7 (Tips)

Die spacer—cont'd
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Dimension
Dimensional accuracy of duplicate dentures prepared by different methods (Polyzois et al). 1986; 55:513-7
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; 55:592-7
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55:309-12
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
Disk displacement
Diskectomy in the treatment of anterior disk displacement of the temporomandibular joint: A clinical and radiologic one-year follow-up study (Eriksson and Westesson). 1986; 55:106-16
Diskectomy
Diskectomy in the treatment of anterior disk displacement of the temporomandibular joint: A clinical and radiologic one-year follow-up study (Eriksson and Westesson). 1986; 55:106-16
Distal-extension denture
An improved method to maintain proper tooth relation while processing distal-extension denture bases (Garver et al). 1986; 55:140-1
Magnetizable abutment crowns for distal-extension removable partial dentures (Pezzoli et al). 1986; 55:475-80
Diver
Snorkel or scuba diver's denture (Hurst et al). 1986; 55:597-9
Dose
Absorbed radiation doses in transcranial temporomandibular joint radiography (Saini et al). 1986; 55:621-4
Dowel
Cement relief for cast dowel-cores under existing crowns (Biedermann and Fehling). 1986; 55:530 (Tips)
Recording dowel pin position with plastic logs (Titus and Draheim). 1986; 55:43-6
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
Duplicate denture
Dimensional accuracy of duplicate dentures prepared by different methods (Polyzois et al). 1986; 55:513-7

E

Edentulous patient
A cephalometric method to determine the angulation of the occlusal plane in edentulous patients (Chow et al) (Letter); (Monteith) (Reply). 1986; 55:662-4
Modified single and short-span restorations supported by osseointegrated fixtures in the partially edentulous jaw (Jemt). 1986; 55:243-7
Education
Research and education. 1986; 55:122-33, 260-73, 377-92, 510-7, 625-49, 736-72
Electromyography
Replicability of electromyographic recordings of the masseter muscle during mastication (Garret and Kapur). 1986; 55:352-6
Electron microscopy
Clinical evaluation of dental adhesive systems. Part II: A scanning electron microscopy study (Braem et al). 1986; 55:551-60
Scanning electron microscopic evaluation of techniques to extend deficient cast gold margins (Lofstrom and Asgar). 1986; 55:416-21
Electronics; *see also* **Computer**
An electronic, computerized pantographic reproducibility index for diagnosing temporomandibular joint dysfunction (Clayton and Beard). 1986; 55:500-5
Electronic PRI consistency in diagnosing temporomandibular joint dysfunction (Beard and Clayton). 1986; 55:255-9
Enamel surface loss
Phosphoric acid concentration: Enamel surface loss and bonding strength (Zidan and Hill). 1986; 55:388-92
Endodontic post; *see* **Post**
Endodontics
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:744-6
Restoration of endodontically treated teeth: A review of the literature (Hudis and Goldstein). 1986; 55:33-8
Stresses induced by endodontic stabilizers (Ichida and Caputo). 1986; 55:168-75
Endosseous implant
Initial bone-implant interfaces of submergible and supramergible endosseous single-crystal sapphire implants (Akagawa et al). 1986; 55:96-100
Epoxy die material
Comparison of three epoxy die materials (Yaman and Brandau). 1986; 55:328-31
Erosion area
Evaluation of materials and techniques for restoration of erosion areas (Monteiro Jr et al). 1986; 55:434-42
Esthetics
Tissue retraction for esthetic ceramometal crowns (Tebrock). 1986; 55:21-3
Etching
Acid-etched splinting to a ceramometal abutment (Jordan et al). 1986; 55:567-74
Effect of metal etching on crown retention (Chan et al). 1986; 55:18-20
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; 55:578-82
Eugenol
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8
Expectactions
Expectations and satisfaction of denture patients in a university clinic (Davis et al). 1986; 55:59-63
External pressure
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25

F

Fabrication
An alternative method for fabrication of a closed hollow obturator (Minsley et al). 1986; 55:485-90
Comparison of computer-based fabrication of alloplastic cranial implants with conventional techniques (Mankovich et al). 1986; 55:606-9
The four-step flow technique: A method for fabrication of wax patterns (Kaplan). 1986; 55:652-5
A review of techniques of crown fabrication for existing removable partial dentures (Tran et al). 1986; 55:671-3
Facial inlay
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; 55:480-1
Fiberoptic illumination
Fiberoptic illumination in radicular restorations (Ecker). 1986; 55:433-4
Filled resin
Predictable diastema reduction with filled resin: Diagnostic wax-up (Newitter). 1986; 55:293-6
Finishing of margin
Gingival margin finishing on castings: Current teaching (Goldfogel and Bomberg). 1986; 55:510-2
Firing; *see also* **Heat curing**
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55:309-12
Fit of crown; *see also* **Crown**
Factors affecting the seating and fit of complete crowns: A computer simulation study (Kay et al). 1986; 55:13-8

Fixed partial denture; *see also* **Fixed prosthodontics**
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; **55**:312-7
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; **55**:252-5
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; **55**:339-42
Success with the cantilever fixed partial denture (Wright). 1986; **55**:537-9
Surface treatment of nonprecious alloys for adhesion-fixed partial dentures (Tanaka et al). 1986; **55**:456-62
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; **55**:578-82
Fixed prosthodontics
Fixed prosthodontics. 1986; **55**:1-58, 157-218, 293-342, 413-81, 537-88, 671-98
Flashing-light method
A flashing-light method for recording centric relation (Ghalichebaf et al). 1986; **55**:221-5
Fluoride
The effect of topical fluoride application on porcelain restorations (Sposetti et al). 1986; **55**:677-82
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:743
In vitro effect of topical fluoride on dental porcelain (Wunderlich and Yaman). 1986; **55**:385-8
Force
Bite force and muscle activity in overdenture wearers before and after attachment placement (Sposetti et al). 1986; **55**:265-73
Four-step flow technique
The four-step flow technique: A method for fabrication of wax patterns (Kaplan). 1986; **55**:652-5
FPD; *see* **Fixed partial denture**
Fracture
Clinical evaluation of marginal fracture of amalgam restorations: One-year report (Osborne and Friedman). 1986; **55**:335-9
Fracture resistance of teeth with resin-bonded restorations (Stampalia et al). 1986; **55**:694-8
The incompletely fractured tooth (Swepston and Miller). 1986; **55**:413-6
Preventing fractures of maxillary overdentures (Nimmo and Kratochvil). 1986; **55**:773-5
Removal of silver points and fractured posts by ultrasonics (Glick and Frank). 1986; **55**:212-5
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; **55**:184-5
A single-appointment technique for reuse of a crown after tooth fracture (Haywood et al). 1986; **55**:182-3
Using ultrasonic scalers to remove fractured root posts (Krell et al). 1986; **55**:46-9
Frame
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; **55**:87-92
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; **55**:560-7
Fully adjustable articulator
Errors incurred in programming a fully adjustable articulator with a pantograph (Curtis and Sorensen). 1986; **55**:427-9

G

Gas presoldering
Inert gas presoldering of nickel-chromium alloys (Anusavice and Shafagh). 1986; **55**:317-23
Germicide
Effect of benzoic acid–detergent germicide on denture-borne *Candida albicans* (Lambert et al). 1986; **55**:699-700
Gingiva
Gingival margin finishing on castings: Current teaching (Goldfogel and Bomberg). 1986; **55**:510-2
Gingiva—cont'd
A method for simulating gingival color on aluminum alloy denture base (White and Moore). 1986; **55**:650-2
Glass ionomer cement
Glass-ionomer cements: A 12-month evaluation (Ngo et al). 1986; **55**:203-5
Longevity of glass ionomer cements (Mount). 1986; **55**:682-5
Glazing
Porcelain surface texture after reduction and natural glazing (Zalkind et al). 1986; **55**:30-3
Gloves
Effect of latex gloves on setting time of polyvinyl siloxane putty impression material (Neissen et al). 1986; **55**:128-9
Gold
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; **55**:324-8
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; **55**:447-52
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; **55**:339-42
Scanning electron microscopic evaluation of techniques to extend deficient cast gold margins (Lofstrom and Asgar). 1986; **55**:416-21
Graphic registration
Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I (Clayton) (Letter); (Gross) (Reply). 1986; **55**:282-4
Groove
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; **55**:324-8
Guidance incline
Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I (Clayton) (Letter); (Gross) (Reply). 1986; **55**:282-4
Gunshot wound
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; **55**:78-82
Gypsum
Comparison of three epoxy die materials (Yaman and Brandau). 1986; **55**:328-31

H

Habitual mastication; *see also* **Chewing; Mastication**
Computer-based assessment of habitual mastication (Mongini et al). 1986; **55**:638-49
Hagman balancer
Occlusal variations for reconstructing the natural dentition (Schwartz). 1986; **55**:101-5
Hard palate
Polydimethylsiloxane button obturator for hard palate clefts (Taicher and Sela). 1986; **55**:82-3
Head and neck cancer
Oral complications of experimental plasma exchange in head and neck cancer (Jackson et al). 1986; **55**:718-22
Heat curing
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; **55**:518-25
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; **55**:393-400
High-palladium alloy
Casting accuracy of high-palladium alloys (Byrne et al). 1986; **55**:297-301
Hollow obturator
An alternative method for fabrication of a closed hollow obturator (Minsley et al). 1986; **55**:485-90
Horizontal condylar path
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; **55**:422-6

Horizontal condylar path—cont'd
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part II: Practical evaluations (Hobo). 1986; 55:582-8
Horizontal jaw movement
Horizontal plane jaw movements in controls and clinic patients with temporomandibular dysfunction (Clark and Lynn). 1986; 55:730-5
Hydrocolloid
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; 55:1-6
Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material (Davis and Preble). 1986; 55:304-8
Method to avoid adherence of irreversible hydrocolloid to teeth during impression making (Hansen). 1986; 55:147-8 (Tips)
Hydrophilic impression material
Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material (Davis and Preble). 1986; 55:304-8
Hydroxyapatite
Mandibular augmentation with hydroxyapatite (Beirne et al). 1986; 55:362-7

I

IAW; *see* **Interalar width**
ICTW; *see* **Intercanine cusp tip width**
Illumination
Fiberoptic illumination in radicular restorations (Ecker). 1986; 55:433-4
Immediate denture
Interim immediate complete denture (Zuckerman). 1986; 55:146 (Tips)
Immediate side shift
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Immune system
Oral complications of experimental plasma exchange in head and neck cancer (Jackson et al). 1986; 55:718-22
Implant
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; 55:87-92
Comparison of computer-based fabrication of alloplastic cranial implants with conventional techniques (Mankovich et al). 1986; 55:606-9
Dental implants. 1986; 55:78-100, 232-49, 357-69, 482-98, 600-9, 709-22
A fixed prosthodontic technique for mandibular osseointegrated titanium implants (Loos). 1986; 55:232-42
Initial bone-implant interfaces of submergible and supramergible endosseous single-crystal sapphire implants (Akagawa et al). 1986; 55:96-100
Noninvasive technique for mandibular subperiosteal implant: A preliminary report (Truitt et al). 1986; 55:494-7
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6
The transosteal implant: A 17-year review and report (Cranin et al). 1986; 55:709-17
Use of magnets for staple mandibular implants (Ampil et al). 1986; 55:367-9
Impression
Accuracy of addition silicones as a function of technique (Johnson and Craig). 1986; 55:197-203
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; 55:1-6
Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material (Davis and Preble). 1986; 55:304-8
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; 55:592-7
Effect of latex gloves on setting time of polyvinyl siloxane putty impression material (Neissen et al). 1986; 55:128-9
Improved accuracy by reheating addition-reaction silicone impressions (de Araujo and Jørgensen). 1986; 55:11-2
Impression—cont'd
Improved method to alter casts in partial denture impression making (Miller and Unsicker). 1986; 55:134-6
Method to avoid adherence of irreversible hydrocolloid to teeth during impression making (Hansen). 1986; 55:147-8 (Tips)
A method to eliminate trapping air in the palate while making impressions (Hansen). 1986; 55:405 (Tips)
Modified ocular prosthesis impression technique (Schneider). 1986; 55:482-5
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:754-5
Retarders for polyvinyl siloxane impression materials: Evaluation and recommendations (Stannard and Sadighi-Nouri). 1986; 55:7-10
Spatulation methods and porosities in investments and impression material (Scrabeck et al). 1986; 55:332-4
Tissue displacement methods in fixed prosthodontics (Benson et al). 1986; 55:175-81
Impression tray
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; 55:592-7
In vitro effect
In vitro effect of topical fluoride on dental porcelain (Wunderlich and Yaman). 1986; 55:385-8
In vitro microleakage of a new dental adhesive system (Hembree Jr). 1986; 55:442-5
In vivo study
Clinical investigation of dental adhesive systems. Part I: An in vivo study (Vanherle et al). 1986; 55:157-63
Incisor
Temporary replacement of missing maxillary incisors (Troendel et al). 1986; 55:277-9
Incline
Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I (Clayton) (Letter); (Gross) (Reply). 1986; 55:282-4
Incompletely fractured tooth
The incompletely fractured tooth (Swepston and Miller). 1986; 55:413-6
Inert gas presoldering
Inert gas presoldering of nickel-chromium alloys (Anusavice and Shafagh). 1986; 55:317-23
Inlay
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; 55:480-1
Instrument
Effect of air-powder abrasive instrument on restorative materials (Lubow and Cooley). 1986; 55:462-5
Interalar width
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; 55:219-21
Intercanine cusp tip width
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; 55:219-21
Interface
Interface corrosion in amalgam-to-amalgam and amalgam-to- nonprecious metal crown couplings (Schimelmitz et al). 1986; 55:189-94
Interference
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; 55:252-5
Interim denture
Interim immediate complete denture (Zuckerman). 1986; 55:146 (Tips)
Internal derangement
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:748-50
Internal relief
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8

Interocclusal record
Comparison of five interocclusal recording materials (Lassila). 1986; 55:215-8
Effect of interocclusal records on transverse axis position (Pocklington) (Letter); (Garry) (Letter). 1986; 55:281-2
A flashing-light method for recording centric relation (Ghalichebaf et al). 1986; 55:221-5
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records: Part II. Practical evaluations (Hobo). 1986; 55:422-6
An improved method to maintain proper tooth relation while processing distal-extension denture bases (Garver et al). 1986; 55:140-1
Interridge space
Surgical template as a guide for reduction of maxillary tuberosities (Crabtree et al). 1986; 55:137-9
Intracoronal restoration
Factors influencing the retention and resistance of preparations for cast intracoronal restorations (Owen). 1986; 55:674-7
Investment
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
Spatulation methods and porosities in investments and impression material (Scrabeck et al). 1986; 55:332-4
Ionomer cement
Glass-ionomer cements: A 12-month evaluation (Ngo et al). 1986; 55:203-5
Longevity of glass ionomer cements (Mount). 1986; 55:682-5
Irreversible impression material
Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material (Davis and Preble). 1986; 55:304-8
Method to avoid adherence of irreversible hydrocolloid to teeth during impression making (Hansen). 1986; 55:147-8 (Tips)

J

Jaw movement
Bite force and muscle activity in overdenture wearers before and after attachment placement (Sposetti et al). 1986; 55:265-73
Horizontal plane jaw movements in controls and clinic patients with temporomandibular dysfunction (Clark and Lynn). 1986; 55:730-5
Jaw relationship
Comparison of five interocclusal recording materials (Lassila). 1986; 55:215-8
Joint, temporomandibular; *see* **Temporomandibular joint**

K

Kinesiography
Computerized kinesiography in the study of mastication in dentate subjects (Neill and Howell). 1986; 55:629-38
Koebner's phenomenon
Possible role of Koebner's phenomenon in the development of mucous membrane pemphigoid (Mostofi et al). 1986; 55:589-92

L

Laboratory
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Latex gloves
Effect of latex gloves on setting time of polyvinyl siloxane putty impression material (Neissen et al). 1986; 55:128-9
Letters
Letters. 1986; 55:149-50, 281-4, 662-4
Ligament
The regenerative potential of the periodontal ligament (Meyer). 1986; 55:260-5
Light-activated composite-amalgam
Light-activated composite-amalgam copings for overdentures (Holt et al). 1986; 55:403-4
Light curing
Depth of cure of visible light–cured resin: Clinical simulation (Matsumoto et al). 1986; 55:574-8
The use of light-cured composites to cement acid-etched fixed partial dentures (Wendt Jr and Covington). 1986; 55:578-82
Loading
Development of mechanical and mathematic models to study temporomandibular joint loading (Hatcher et al). 1986; 55:377-84
Effect of positional loading of three removable partial denture clasp assemblies on movement of abutment teeth (Browning et al). 1986; 55:347-51
Movement of three removable partial denture clasp assemblies under occlusal loading (Browning et al). 1986; 55:69-74
Logistic regression
Occlusal relationships and temporomandibular joint dysfunction. Part II: Correlations between occlusal and articular parameters and symptoms of TMJ dysfunction by means of stepwise logistic regression (De Laat et al). 1986; 55:116-21
Luting media; *see also* specific medium
Relative shear bond strengths of luting media with various core materials (Billington) (Letter); (Dilts) (Reply). 1986; 55:284

M

Magnet
Magnetizable abutment crowns for distal-extension removable partial dentures (Pezzoli et al). 1986; 55:475-80
Use of magnets for staple mandibular implants (Ampil et al). 1986; 55:367-9
Mandibular augmentation
Mandibular augmentation with hydroxyapatite (Beirne et al). 1986; 55:362-7
Mandibular border movement
Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I (Clayton) (Letter); (Gross) (Reply). 1986; 55:282-4
Mandibular complete denture
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stålblad). 1986; 55:357-61
Mandibular condyle
Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular joint disorders (Pullinger et al). 1986; 55:723-9
A tomographic study of mandibular condyle position in an asymptomatic population (Vincelli) (Letter); (Pullinger) (Reply). 1986; 55:149-50
Mandibular defect; *see also* **Mandibular implant**
Osseointegration in maxillofacial prosthetics. Part I: Intraoral applications (Parel et al). 1986; 55:490-4
Osseointegration in maxillofacial prosthetics. Part II: Extraoral applications (Parel et al). 1986; 55:600-6
Mandibular implant
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; 55:87-92
A fixed prosthodontic technique for mandibular osseointegrated titanium implants (Loos). 1986; 55:232-42
Noninvasive technique for mandibular subperiosteal implant: A preliminary report (Truitt et al). 1986; 55:494-7
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6
Use of magnets for staple mandibular implants (Ampil et al). 1986; 55:367-9
Mandibular movement
Comparison of mandibular movements recorded by two pantographs (Donaldson and Clayton). 1986; 55:52-8
Mandibular ramus
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; 55:87-92

Mandibular resection
Mandibular resection guidance prosthesis: A literature review (Schneider and Taylor). 1986; **55**:84-6
Mandibular tooth width
Maxillary and mandibular teeth widths (Levin) (Letter). 1986; **55**:150
Manganese
Role of manganese in alloy-porcelain bonding (Bruggers et al). 1986; **55**:453-6
Margin
Clinical evaluation of marginal fracture of amalgam restorations: One-year report (Osborne and Friedman). 1986; **55**:335-9
Gingival margin finishing on castings: Current teaching (Goldfogel and Bomberg). 1986; **55**:510-2
Marking technique; *see also* **Occlusal record; Record**
Reproducibility of occlusal marking techniques (Gazit et al). 1986; **55**:505-9
Masseter muscle
Replicability of electromyographic recordings of the masseter muscle during mastication (Garret and Kapur). 1986; **55**:352-6
Mastication; *see also* **Chewing**
Computer-based assessment of habitual mastication (Mongini et al). 1986; **55**:638-49
Computerized kinesiography in the study of mastication in dentate subjects (Neill and Howell). 1986; **55**:629-38
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stalblad). 1986; **55**:357-61
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; **55**:252-5
Replicability of electromyographic recordings of the masseter muscle during mastication (Garret and Kapur). 1986; **55**:352-6
Mathematic model
Development of mechanical and mathematic models to study temporomandibular joint loading (Hatcher et al). 1986; **55**:377-84
Maxillary defect
Osseointegration in maxillofacial prosthetics. Part I: Intraoral applications (Parel et al). 1986; **55**:490-4
Osseointegration in maxillofacial prosthetics. Part II: Extraoral applications (Parel et al). 1986; **55**:600-6
Maxillary overdenture
Preventing fractures of maxillary overdentures (Nimmo and Kratochvil). 1986; **55**:773-5
Maxillary tooth
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; **55**:219-21
Maxillary and mandibular teeth widths (Levin) (Letter). 1986; **55**:150
Temporary replacement of missing maxillary incisors (Troendel et al). 1986; **55**:277-9
Maxillary tuberosity
Surgical template as a guide for reduction of maxillary tuberosities (Crabtree et al). 1986; **55**:137-9
Maxillofacial prosthetics
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; **55**:78-82
Maxillofacial prosthetics. 1986; **55**:78-100, 232-49, 357-69, 482-98, 600-9, 709-22
Osseointegration in maxillofacial prosthetics. Part I: Intraoral applications (Parel et al). 1986; **55**:490-4
Osseointegration in maxillofacial prosthetics. Part II: Extraoral applications (Parel et al). 1986; **55**:600-6
Mechanical model
Development of mechanical and mathematic models to study temporomandibular joint loading (Hatcher et al). 1986; **55**:377-84
Medial pterygoid muscle
Medial pterygoid muscle activity during chewing and clenching (Wood). 1986; **55**:615-21
Metal
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; **55**:195-7
Metal—cont'd
Effect of metal etching on crown retention (Chan et al). 1986; **55**:18-20
Effect of metal surface treatment on ceramic bond strength (Jochen et al). 1986; **55**:186-8
The effect of a new sprue design on the castability of a base-metal alloy (Rieger et al). 1986; **55**:686-90
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; **55**:447-52
Interface corrosion in amalgam-to-amalgam and amalgam-to-nonprecious metal crown couplings (Schimelmitz et al). 1986; **55**:189-94
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:762
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; **55**:691-3
Tissue retraction for esthetic ceramometal crowns (Tebrock). 1986; **55**:21-3
Methyl methacrylate; *see also* **Poly(methyl methylacrylate)**
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al.). 1986; **55**:343-6
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; **55**:393-400
Microleakage
In vitro microleakage of a new dental adhesive system (Hembree Jr). 1986; **55**:442-5
Microscopy
Clinical evaluation of dental adhesive systems. Part II: A scanning electron microscopy study (Braem et al). 1986; **55**:551-60
Scanning electron microscopic evaluation of techniques to extend deficient cast gold margins (Lofstrom and Asgar). 1986; **55**:416-21
Missing maxillary incisor
Temporary replacement of missing maxillary incisors (Troendel et al). 1986; **55**:277-9
Modified ocular prosthesis
Modified ocular prosthesis impression technique (Schneider). 1986; **55**:482-5
Mold
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; **55**:518-25
Moulage
Modified clinical procedure for nasal moulage (Anderson and Saunders). 1986; **55**:661 (Tips)
Mounted cast; *see also* **Cast**
Comparison of five interocclusal recording materials (Lassila). 1986; **55**:215-8
Relating denture teeth to the occlusal plane (Adkisson). 1986; **55**:274-6
Mouthrinses
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:743
Mouthstick
A versatile and easily fabricated mouthstick (Olsen et al). 1986; **55**:247-9
MPD; *see* **Myofascial pain-dysfunction syndrome**
Mucous membrane pemphigoid
Possible role of Koebner's phenomenon in the development of mucous membrane pemphigoid (Mostofi et al). 1986; **55**:589-92
Multiple cast post and cores
Multiple cast post and cores for severely worn anterior teeth (Aquilino et al). 1986; **55**:430-3
Muscle
Bite force and muscle activity in overdenture wearers before and after attachment placement (Sposetti et al). 1986; **55**:265-73
Medial pterygoid muscle activity during chewing and clenching (Wood). 1986; **55**:615-21
Replicability of electromyographic recordings of the masseter muscle during mastication (Garret and Kapur). 1986; **55**:352-6

Myofascial pain-dysfunction syndrome
An occlusal splint for patients with dentures (O'Grady and Reade). 1986; **55**:250-1

N

Nasal moulage
Modified clinical procedure for nasal moulage (Anderson and Saunders). 1986; **55**:661 (Tips)
Natural glazing
Porcelain surface texture after reduction and natural glazing (Zalkind et al). 1986; **55**:30-3
Neck cancer
Oral complications of experimental plasma exchange in head and neck cancer (Jackson et al). 1986; **55**:718-22
Nickel
Expediting the fabrication of a nickel-chromium casting (Nelson et al). 1986; **55**:400-3
Inert gas presoldering of nickel-chromium alloys (Anusavice and Shafagh). 1986; **55**:317-23
Recasting a nickel-chromium alloy (Nelson et al). 1986; **55**:122-7
Nonprecious alloy; *see also* specific product
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; **55**:560-7
Interface corrosion in amalgam-to-amalgam and amalgam-to-nonprecious metal crown couplings (Schimelmitz et al). 1986; **55**:189-94
Surface treatment of nonprecious alloys for adhesion-fixed partial dentures (Tanaka et al). 1986; **55**:456-62
Nylon spacer
Improved method to alter casts in partial denture impression making (Miller and Unsicker). 1986; **55**:134-6

O

Obturator
An alternative method for fabrication of a closed hollow obturator (Minsley et al). 1986; **55**:485-90
Polydimethylsiloxane button obturator for hard palate clefts (Taicher and Sela). 1986; **55**:82-3
Occlusal interference
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; **55**:252-5
Occlusal loading
Movement of three removable partial denture clasp assemblies under occlusal loading (Browning et al). 1986; **55**:69-74
Occlusal marking technique; *see also* **Occlusal record; Occlusion**
Reproducibility of occlusal marking techniques (Gazit et al). 1986; **55**:505-9
Occlusal plane; *see also* **Occlusion**
A cephalometric method to determine the angulation of the occlusal plane in edentulous patients (Chow et al) (Letter); (Monteith) (Reply). 1986; **55**:662-4
Evaluation of a cephalometric method of occlusal plane orientation for complete dentures (Monteith). 1986; **55**:64-9
Relating denture teeth to the occlusal plane (Adkisson). 1986; **55**:274-6
Occlusal reconstruction
Occlusal variations for reconstructing the natural dentition (Schwartz). 1986; **55**:101-5
Occlusal record; *see also* **Record**
Comparison of five interocclusal recording materials (Lassila). 1986; **55**:215-8
A flashing-light method for recording centric relation (Ghalichebaf et al). 1986; **55**:221-5
Reproducibility of occlusal marking techniques (Gazit et al). 1986; **55**:505-9
Occlusal splint
An occlusal splint for patients with dentures (O'Grady and Reade). 1986; **55**:250-1
Occlusal therapy
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:751-2
Occlusion; *see also* **Occlusal plane**
The composite/sealant restoration: Five-year results (Houpt et al). 1986; **55**:164-8
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; **55**:252-5
Occlusal relationships and temporomandibular joint dysfunction. Part II: Correlations between occlusal and articular parameters and symptoms of TMJ dysfunction by means of stepwise logistic regression (De Laat et al). 1986; **55**:116-21
Occlusal variations for reconstructing the natural dentition (Schwartz). 1986; **55**:101-5
Occlusion and chewing side preference (Pond et al). 1986; **55**:498-500
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; **55**:750-1
Ocular prosthesis
Modified ocular prosthesis impression technique (Schneider). 1986; **55**:482-5
One-piece casting
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; **55**:312-7
Operative dentistry
Fixed prosthodontics and operative dentistry. 1986; **55**:1-58, 157-218, 293-342, 413-81, 537-88, 671-98
Osseointegration
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stålblad). 1986; **55**:357-61
A fixed prosthodontic technique for mandibular osseointegrated titanium implants (Loos). 1986; **55**:232-42
Modified single and short-span restorations supported by osseointegrated fixtures in the partially edentulous jaw (Jemt). 1986; **55**:243-7
Osseointegration in maxillofacial prosthetics. Part I: Intraoral applications (Parel et al). 1986; **55**:490-4
Osseointegration in maxillofacial prosthetics. Part II: Extraoral applications (Parel et al). 1986; **55**:600-6
Oven temperature
Use of the personal computer to design processing conditions for improving dental die accuracy (Lee). 1986; **55**:141-5
Overdenture
Bite force and muscle activity in overdenture wearers before and after attachment placement (Sposetti et al). 1986; **55**:265-73
The effect of chewing movements on changing mandibular complete dentures to osseointegrated overdentures (Jemt and Stålblad). 1986; **55**:357-61
Light-activated composite-amalgam copings for overdentures (Holt et al). 1986; **55**:403-4

P

Packing of mold
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; **55**:518-25
Pain syndrome; *see also* **Temporomandibular joint**
An occlusal splint for patients with dentures (O'Grady and Reade). 1986; **55**:250-1
Palate
A method to eliminate trapping air in the palate while making impressions (Hansen). 1986; **55**:405 (Tips)
Polydimethylsiloxane button obturator for hard palate clefts (Taicher and Sela). 1986; **55**:82-3
Palladium
Casting accuracy of high-palladium alloys (Byrne et al). 1986; **55**:297-301

Palladium—cont'd
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; 55:447-52
Pankey-Mann oral rehabilitation
Occlusal variations for reconstructing the natural dentition (Schwartz). 1986; 55:101-5
Pantograph
Comparison of mandibular movements recorded by two pantographs (Donaldson and Clayton). 1986; 55:52-8
An electronic, computerized pantographic reproducibility index for diagnosing temporomandibular joint dysfunction (Clayton and Beard). 1986; 55:500-5
Electronic PRI consistency in diagnosing temporomandibular joint dysfunction (Beard and Clayton). 1986; 55:255-9
Errors incurred in programming a fully adjustable articulator with a pantograph (Curtis and Sorensen). 1986; 55:427-9
Pantographic reproducibility index
Electronic PRI consistency in diagnosing temporomandibular joint dysfunction (Beard and Clayton). 1986; 55:255-9
Partial denture; *see* **Fixed partial denture; Removable partial denture**
Pemphigoid
Possible role of Koebner's phenomenon in the development of mucous membrane pemphigoid (Mostofi et al). 1986; 55: 589-92
Periodontal ligament
The regenerative potential of the periodontal ligament (Meyer). 1986; 55:260-5
Periodontics
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:736-41
Periodontium
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; 55:252-5
Personal computer; *see* **Computer**
Phenomenon
Possible role of Koebner's phenomenon in the development of mucous membrane pemphigoid (Mostofi et al). 1986; 55:589-92
Phosphoric acid
Phosphoric acid concentration: Enamel surface loss and bonding strength (Zidan and Hill). 1986; 55:388-92
Pin
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; 55:480-1
Recording dowel pin position with plastic logs (Titus and Draheim). 1986; 55:43-6
Plane; *see also* **Occlusion**
A cephalometric method to determine the angulation of the occlusal plane in edentulous patients (Chow et al) (Letter); (Monteith) (Reply). 1986; 55:662-4
Evaluation of a cephalometric method of occlusal plane orientation for complete dentures (Monteith). 1986; 55:64-9
Relating denture teeth to the occlusal plane (Adkisson). 1986; 55:274-6
Plaque
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; 55:339-42
Plasma exchange
Oral complications of experimental plasma exchange in head and neck cancer (Jackson et al). 1986; 55:718-22
Plastic denture teeth
Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material (Caswell and Norling). 1986; 55:701-8
Plastic log
Recording dowel pin position with plastic logs (Titus and Draheim). 1986; 55:43-6
Plate
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6
Polishing
Influence of polishing on cast clasp properties (Morris and Brudvik). 1986; 55:75-7
Plaque accumulation on cast gold complete crowns polished by a conventional and an experimental method (Shafagh). 1986; 55:339-42
Polydimethyl siloxane
Polydimethyl siloxane button obturator for hard palate clefts (Taicher and Sela). 1986; 55:82-3
Polymer/monomer ratio
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
Poly(methyl methacrylate)
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al). 1986; 55:343-6
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; 55:393-400
Polyvinyl siloxane
Effect of latex gloves on setting time of polyvinyl siloxane putty impression material (Neissen et al). 1986; 55:128-9
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
Retarders for polyvinyl siloxane impression materials: Evaluation and recommendations (Stannard and Sadighi-Nouri). 1986; 55:7-10
Porcelain
The effect of topical fluoride application on porcelain restorations (Sposetti et al). 1986; 55:677-82
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; 55:447-52
Porcelain surface texture after reduction and natural glazing (Zalkind et al). 1986; 55:30-3
Role of manganese in alloy-porcelain bonding (Bruggers et al). 1986; 55:453-6
In vitro effect of topical fluoride on dental porcelain (Wunderlich and Yaman). 1986; 55:385-8
Volumetric shrinkage of a porcelain suspended in wax technique (Schrader et al). 1986; 55:302-4
Porosity
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; 55:393-400
Spatulation methods and porosities in investments and impression material (Scrabeck et al). 1986; 55:332-4
Positional loading
Effect of positional loading of three removable partial denture clasp assemblies on movement of abutment teeth (Browning et al). 1986; 55:347-51
Positional relationship of dentures
Three-dimensional radiographic study of the positional relationship of complete dentures: A pilot study (Bellagamba et al). 1986; 55:625-8
Post
Comparison of four techniques for the cementation of posts (Goldstein et al). 1986; 55:209-11
Multiple cast post and cores for severely worn anterior teeth (Aquilino et al). 1986; 55:430-3
Removal of silver points and fractured posts by ultrasonics (Glick and Frank). 1986; 55:212-5
Restoration of endodontically treated teeth: A review of the literature (Hudis and Goldstein). 1986; 55:33-8
Retention and stress distribution of tapered-end endodontic posts (Cooney et al). 1986; 55:540-6
Using ultrasonic scalers to remove fractured root posts (Krell et al). 1986; 55:46-9

Postceramic soldering
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; 55:312-7
Posterior tooth; *see also* **Tooth**
Anchored core for the rehabilitation of posterior teeth (von Krammer). 1986; 55:38-42
Postsoldered joint
Tensile strength comparison of presoldered and postsoldered joints (Monday and Asgar). 1986; 55:23-7
Preceramic soldering
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; 55:312-7
Precious ceramometal restoration; *see also* specific metal
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; 55:560-7
Prefabrication
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6
Premolar
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; 55:184-5
Presoldering
Inert gas presoldering of nickel-chromium alloys (Anusavice and Shafagh). 1986; 55:317-23
Tensile strength comparison of presoldered and postsoldered joints (Monday and Asgar). 1986; 55:23-7
Pressure
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
PRI; *see* **Pantographic reproducibility index**
Processing variables
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
Programming of articulator; *see also* **Computer**
Errors incurred in programming a fully adjustable articulator with a pantograph (Curtis and Sorensen). 1986; 55:427-9
Progressive side shift
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Prosthesis; *see also* specific prosthesis
Influence of occlusal interferences on the periodontium in patients treated with fixed prosthesis (Ettala-Ylitalo et al). 1986; 55:252-5
Mandibular resection guidance prosthesis: A literature review (Schneider and Taylor). 1986; 55:84-6
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; 55:78-82
Modified ocular prosthesis impression technique (Schneider). 1986; 55:482-5
Pterygoid muscle
Medial pterygoid muscle activity during chewing and clenching (Wood). 1986; 55:615-21

R

Radiation dose
Absorbed radiation doses in transcranial temporomandibular joint radiography (Saini et al). 1986; 55:621-4
Radicular restoration
Fiberoptic illumination in radicular restorations (Ecker). 1986; 55:433-4
Radiography
Absorbed radiation doses in transcranial temporomandibular joint radiography (Saini et al). 1986; 55:621-4
Radiography—cont'd
Three-dimensional radiographic study of the positional relationship of complete dentures: A pilot study (Bellagamba et al). 1986; 55:625-8
Ramus
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; 55:87-92
Rat
The reduction of residual ridges (RRR) measured longitudinally in rats (Nishimura et al). 1986; 55:133 (Abst.)
Structural effects of bleaching on tetracycline-stained vital rat teeth (Arcuri) (Letter); (Ledoux) (Reply). 1986; 55:662
Readers' Round Table
Letters. 1986; 55:149-50, 281-4, 662-4
Recasting
The effect of using recast metal on the bond between porcelain and a gold-palladium alloy (Rasmussen and Doukoudakis). 1986; 55:447-52
Recasting a nickel-chromium alloy (Nelson et al). 1986; 55:122-7
Reconstruction
Occlusal variations for reconstructing the natural dentition (Schwartz). 1986; 55:101-5
Record
Comparison of five interocclusal recording materials (Lassila). 1986; 55:215-8
Comparison of mandibular movements recorded by two pantographs (Donaldson and Clayton). 1986; 55:52-8
Effect of interocclusal records on transverse axis position (Pocklington) (Letter); (Garry) (Letter). 1986; 55:281-2
A flashing-light method for recording centric relation (Ghalichebaf et al). 1986; 55:221-5
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Recording dowel pin position with plastic logs (Titus and Draheim). 1986; 55:43-6
Reduction
Porcelain surface texture after reduction and natural glazing (Zalkind et al). 1986; 55:30-3
The reduction of residual ridges (RRR) measured longitudinally in rats (Nishimura et al). 1986; 55:133 (Abst.)
Surgical template as a guide for reduction of maxillary tuberosities (Crabtree et al). 1986; 55:137-9
Regeneration
The regenerative potential of the periodontal ligament (Meyer). 1986; 55:260-5
Registration
Investigation of the effect of a variable anterior guidance incline on the graphic registration of mandibular border movements: Part I (Clayton) (Letter); (Gross) (Reply). 1986; 55:282-4
Rehabilitation
Anchored core for the rehabilitation of posterior teeth (von Krammer). 1986; 55:38-42
Mandibular resection guidance prosthesis: A literature review (Schneider and Taylor). 1986; 55:84-6
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; 55:78-82
Occlusal variations for reconstructing the natural dentition (Schwartz). 1986; 55:101-5
Reheating
Improved accuracy by reheating addition-reaction silicone impressions (de Araujo and Jørgensen). 1986; 55:11-2
Relief
Cement relief for cast dowel-cores under existing crowns (Biedermann and Fehling). 1986; 55:530 (Tips)
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Reline material
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al). 1986; 55:343-6

Removable partial denture; *see also* **Removable prosthodontics**
Attitudes toward abutment preparation for removable partial dentures (Firtell et al). 1986; 55:131-3
Effect of positional loading of three removable partial denture clasp assemblies on movement of abutment teeth (Browning et al). 1986; 55:347-51
Camouflaging partial denture clasps (de Delgrado et al). 1986; 55:656-60
Improved method to alter casts in partial denture impression making (Miller and Unsicker). 1986; 55:134-6
An improved method to maintain proper tooth relation while processing distal-extension denture bases (Garver et al). 1986; 55:140-1
Magnetizable abutment crowns for distal-extension removable partial dentures (Pezzoli et al). 1986; 55:475-80
Movement of three removable partial denture clasp assemblies under occlusal loading (Browning et al). 1986; 55:69-74
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; 55:480-1
A review of techniques of crown fabrication for existing removable partial dentures (Tran et al). 1986; 55:671-3
Removable prosthodontics
Removable prosthodontics. 1986; 55:59-77, 219-32, 343-56, 475-81, 589-99, 699-700
Repositioning splint
Recommended chewing side with an anterior repositioning splint (Ito et al). 1986; 55:610-4
Reproducibility
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
An electronic, computerized pantographic reproducibility index for diagnosing temporomandibular joint dysfunction (Clayton and Beard). 1986; 55:500-5
Reproducibility of occlusal marking techniques (Gazit et al). 1986; 55:505-9
Research and education
Research and education. 1986; 55:122-33, 260-73, 377-92, 510-7, 625-49, 736-72
Resection
Mandibular resection guidance prosthesis: A literature review (Schneider and Taylor). 1986; 55:84-6
Residual ridge
The reduction of residual ridges (RRR) measured longitudinally in rats (Nishimura et al). 1986; 55:133 (Abst.)
Two methods for objective evaluation of change in residual alveolar ridges (Jones). 1986; 55:130
Resin
A comparison of physical characteristics of six hard denture reline materials (Wyatt et al). 1986; 55:343-6
Depth of cure of visible light-cured resin: Clinical simulation (Matsumoto et al). 1986; 55:574-8
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; 55:592-7
The effect of retention grooves in acrylic resin teeth on tooth denture-base bond (Cardash et al). 1986; 55:526-8
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Fracture resistance of teeth with resin-bonded restorations (Stampalia et al). 1986; 55:694-8
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
The occurrence of porosity in a heat-cured poly(methyl methacrylate) denture base resin (Wolfaardt et al). 1986; 55:393-400
Predictable diastema reduction with filled resin: Diagnostic wax-up (Newitter). 1986; 55:293-6
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:755-9
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
Resin—cont'd
Waxing crowns using acrylic resin copings (Christensen and Burchett Jr). 1986; 55:280 (Tips)
Resistance
Factors influencing the retention and resistance of preparations for cast intracoronal restorations (Owen). 1986; 55:674-7
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; 55:184-5
Restoration
Clinical evaluation of marginal fracture of amalgam restorations: One-year report (Osborne and Friedman). 1986; 55:335-9
The composite/sealant restoration: Five-year results (Houpt et al). 1986; 55:164-8
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; 55:560-7
Effect of air-powder abrasive instrument on restorative materials (Lubow and Cooley). 1986; 55:462-5
The effect of topical fluoride application on porcelain restorations (Sposetti et al). 1986; 55:677-82
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Evaluation of materials and techniques for restoration of erosion areas (Monteiro Jr et al). 1986; 55:434-42
Factors influencing the retention and resistance of preparations for cast intracoronal restorations (Owen). 1986; 55:674-7
Fiberoptic illumination in radicular restorations (Ecker). 1986; 55:433-4
Fracture resistance of teeth with resin-bonded restorations (Stampalia et al). 1986; 55:694-8
Glass-ionomer cements: A 12-month evaluation (Ngo et al). 1986; 55:203-5
Modified single and short-span restorations supported by osseointegrated fixtures in the partially edentulous jaw (Jemt). 1986; 55:243-7
Porcelain surface texture after reduction and natural glazing (Zalkind et al). 1986; 55:30-3
Recording dowel pin position with plastic logs (Titus and Draheim). 1986; 55:43-6
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:753-4
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; 55:184-5
Restoration of endodontically treated teeth: A review of the literature (Hudis and Goldstein). 1986; 55:33-8
Retainer; *see* **Retention**
Retarder
Retarders for polyvinyl siloxane impression materials: Evaluation and recommendations (Stannard and Sadighi-Nouri). 1986; 55:7-10
Retention
Effect of metal etching on crown retention (Chan et al). 1986; 55:18-20
The effect of retention grooves in acrylic resin teeth on tooth denture-base bond (Cardash et al). 1986; 55:526-8
Factors influencing the retention and resistance of preparations for cast intracoronal restorations (Owen). 1986; 55:674-7
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Pin-modified facial inlay to enhance retentive contours on a removable partial denture abutment (Hansen et al). 1986; 55:480-1
Retention and stress distribution of tapered-end endodontic posts (Cooney et al). 1986; 55:540-6
Retention of etched base metal dowels with resin cement and bonding agent (Hill et al). 1986; 55:691-3
Retraction
Tissue retraction for esthetic ceramometal crowns (Tebrock). 1986; 55:21-3
Reuse of crown
A single-appointment technique for reuse of a crown after tooth fracture (Haywood et al). 1986; 55:182-3

Root
Using ultrasonic scalers to remove fractured root posts (Krell et al). 1986; 55:46-9

S

Sapphire
Initial bone-implant interfaces of submergible and supramergible endosseous single-crystal sapphire implants (Akagawa et al). 1986; 55:96-100
Satisfaction
Expectations and satisfaction of denture patients in a university clinic (Davis et al). 1986; 55:59-63
Scaler
Using ultrasonic scalers to remove fractured root posts (Krell et al). 1986; 55:46-9
Scanning electron microscopy
Clinical evaluation of dental adhesive systems. Part II: A scanning electron microscopy study (Braem et al). 1986; 55:551-60
Scanning electron microscopic evaluation of techniques to extend deficient cast gold margins (Lofstrom and Asgar). 1986; 55:416-21
Scuba diver
Snorkel or scuba diver's denture (Hurst et al). 1986; 55:597-9
Sealant; *see also* **Shear bond strength**
The composite/sealant restoration: Five-year results (Houpt et al). 1986; 55:164-8
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:744
Seating
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Factors affecting the seating and fit of complete crowns: A computer simulation study (Kay et al). 1986; 55:13-8
Seating castings (Haywood). 1986; 55:405-6 (Tips)
Self-inflicted gunshot wound
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; 55:78-82
Semiadjustable articulator
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part II: Practical evaluations (Hobo). 1986; 55:582-8
Separator
The influence of processing variables on dimensional changes of heat-cured poly(methyl methacrylate) (Wolfaardt et al). 1986; 55:518-25
Setting time
Effect of latex gloves on setting time of polyvinyl siloxane putty impression material (Neissen et al). 1986; 55:128-9
Shear bond strength
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8
Relative shear bond strengths of luting media with various core materials (Billington) (Letter); (Dilts) (Reply). 1986; 55:284
Short-span restoration
Modified single and short-span restorations supported by osseointegrated fixtures in the partially edentulous jaw (Jemt). 1986; 55:243-7
Shrinkage
Volumetric shrinkage of a porcelain suspended in wax technique (Schrader et al). 1986; 55:302-4
Side shift
Formula for adjusting the horizontal condylar path of the semiadjustable articulator with interocclusal records. Part I: Correlation between the immediate side shift, the progressive side shift, and the Bennett angle (Hobo). 1986; 55:422-6
Silicone
Accuracy of addition silicones as a function of technique (Johnson and Craig). 1986; 55:197-203
Silicone—cont'd
Accuracy of a hydrophilic irreversible hydrocolloid/silicone impression material (Davis and Preble). 1986; 55:304-8
Improved accuracy by reheating addition-reaction silicone impressions (de Araujo and Jørgensen). 1986; 55:11-2
Silver point removal
Removal of silver points and fractured posts by ultrasonics (Glick and Frank). 1986; 55:212-5
Silver-plated die
Comparison of three epoxy die materials (Yaman and Brandau). 1986; 55:328-31
Single restoration
Modified single and short-span restorations supported by osseointegrated fixtures in the partially edentulous jaw (Jemt). 1986; 55:243-7
Single-appointment technique
A single-appointment technique for reuse of a crown after tooth fracture (Haywood et al). 1986; 55:182-3
Sintering temperature
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55: 309-12
Size of denture tooth
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; 55:219-21
Snorkel
Snorkel or scuba diver's denture (Hurst et al). 1986; 55:597-9
Soft tissue
Tissue displacement methods in fixed prosthodontics (Benson et al). 1986; 55:175-81
Soldering
Accuracy of one-piece castings, preceramic and postceramic soldering (Ziebert et al). 1986; 55:312-7
Cast connectors: An alternative to soldering base metal alloys (Fehling et al). 1986; 55:195-7
Inert gas presoldering of nickel-chromium alloys (Anusavice and Shafagh). 1986; 55:317-23
Tensile strength comparison of presoldered and postsoldered joints (Monday and Asgar). 1986; 55:23-7
Spacer
Die spacer removal (Berry III and Berry). 1986; 55:146-7 (Tips)
Effect of die spacer on the seating of complete cast gold crowns with grooves (Campagni et al). 1986; 55:324-8
Improved method to alter casts in partial denture impression making (Miller and Unsicker). 1986; 55:134-6
Spatulation
Spatulation methods and porosities in investments and impression material (Scrabeck et al). 1986; 55:332-4
Splint
Acid-etched splinting to a ceramometal abutment (Jordan et al). 1986; 55:567-74
An occlusal splint for patients with dentures (O'Grady and Reade). 1986; 55:250-1
Recommended chewing side with an anterior repositioning splint (Ito et al). 1986; 55:610-4
Sprue
The effect of a new sprue design on the castability of a base-metal alloy (Rieger et al). 1986; 55:686-90
Stability
Dimensional stability of autopolymerizing acrylic resin impression trays (Fehling et al). 1986; 55:592-7
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55:309-12
Stresses induced by endodontic stabilizers (Ichida and Caputo). 1986; 55:168-75
Stain
Structural effects of bleaching on tetracycline-stained vital rat teeth (Arcuri) (Letter); (Ledoux) (Reply). 1986; 55:662
Staple
Clinical evaluation of ramus frame and staple bone implants (Meyer Jr and Kotwal). 1986; 55:87-92
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6

Staple—cont'd
Use of magnets for staple mandibular implants (Ampil et al). 1986; 55:367-9
Stepwise logistic regression
Occlusal relationships and temporomandibular joint dysfunction. Part II: Correlations between occlusal and articular parameters and symptoms of TMJ dysfunction by means of stepwise logistic regression (De Laat et al). 1986; 55:116-21
Stomatognathic treatment
Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part II: Components of the dysfunction index (Raustia et al). 1986; 55:372-6
Stone cast
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
Stone die
Measurement of coating agents used for surface protection of stone dies (Campagni et al). 1986; 55:470-4
Strength
Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials (Johnson and Craig). 1986; 55:1-6
Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material (Caswell and Norling). 1986; 55:701-8
The compressive strength of nonprecious versus precious ceramometal restorations with various frame designs (Marker et al). 1986; 55:560-7
Effect of metal surface treatment on ceramic bond strength (Jochen et al). 1986; 55:186-8
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Relative shear bond strengths of luting media with various core materials (Billington) (Letter); (Dilts) (Reply). 1986; 55:284
Resistance to cusp fracture in Class II prepared and restored premolars (Gelb et al). 1986; 55:184-5
Tensile strength comparison of presoldered and postsoldered joints (Monday and Asgar). 1986; 55:23-7
Stress
Comparison of four techniques for the cementation of posts (Goldstein et al). 1986; 55:209-11
Retention and stress distribution of tapered-end endodontic posts (Cooney et al). 1986; 55:540-6
Stresses induced by endodontic stabilizers (Ichida and Caputo). 1986; 55:168-75
Structural effect
Structural effects of bleaching on tetracycline-stained vital rat teeth (Arcuri) (Letter); (Ledoux) (Reply). 1986; 55:662
Subperiosteal implant
Noninvasive technique for mandibular subperiosteal implant: A preliminary report (Truitt et al). 1986; 55:494-7
Sugar substitute
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:744
Suicide attempt
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; 55:78-82
Surface
Effect of metal surface treatment on ceramic bond strength (Jochen et al). 1986; 55:186-8
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
Measurement of coating agents used for surface protection of stone dies (Campagni et al). 1986; 55:470-4
Surface treatment of nonprecious alloys for adhesion-fixed partial dentures (Tanaka et al). 1986; 55:456-62
Surgical template
Surgical template as a guide for reduction of maxillary tuberosities (Crabtree et al). 1986; 55:137-9
Surveyor
Dental surveyor preventive maintenance (Sherman Jr). 1986; 55:280 (Tips)

T

Tapered-end endodontic post
Retention and stress distribution of tapered-end endodontic posts (Cooney et al). 1986; 55:540-6
Technology
Dental technology. 1986; 55:134-45, 274-9, 393-404, 518-28, 650-60, 733-5
Temperature
Effect of sintering temperature on the dimensional stability of a new ceramic coping (Campbell). 1986; 55: 309-12
Use of the personal computer to design processing conditions for improving dental die accuracy (Lee). 1986; 55:141-5
Template
Surgical template as a guide for reduction of maxillary tuberosities (Crabtree et al). 1986; 55:137-9
Temporary restoration
Effects of temporary cements on crown-to-composite resin core bond strength (Paige et al). 1986; 55:49-52
Temporary replacement of missing maxillary incisors (Troendel et al). 1986; 55:277-9
Temporomandibular joint
Absorbed radiation doses in transcranial temporomandibular joint radiography (Saini et al). 1986; 55:621-4
Acupuncture compared with stomatognathic treatment for TMJ dysfunction. Part II: Components of the dysfunction index (Raustia et al). 1986; 55:372-6
Current concepts about the temporomandibular joint (Hansson). 1986; 55:370-1
Development of mechanical and mathematic models to study temporomandibular joint loading (Hatcher et al). 1986; 55:377-84
Diskectomy in the treatment of anterior disk displacement of the temporomandibular joint: A clinical and radiologic one-year follow-up study (Eriksson and Westesson). 1986; 55:106-16
An electronic, computerized pantographic reproducibility index for diagnosing temporomandibular joint dysfunction (Clayton and Beard). 1986; 55:500-5
Electronic PRI consistency in diagnosing temporomandibular joint dysfunction (Beard and Clayton). 1986; 55:255-9
Horizontal plane jaw movements in controls and clinic patients with temporomandibular dysfunction (Clark and Lynn). 1986; 55:730-5
Occlusal relationships and temporomandibular joint dysfunction. Part II: Correlations between occlusal and articular parameters and symptoms of TMJ dysfunction by means of stepwise logistic regression (De Laat et al). 1986; 55:116-21
Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular disorders (Pullinger et al). 1986; 55:723-9
A tomographic study of mandibular condyle position in an asymptomatic population (Vincelli) (Letter); (Pullinger) (Reply). 1986; 55:149-50
Tensile strength
Tensile strength comparison of presoldered and postsoldered joints (Monday and Asgar). 1986; 55:23-7
Tetracycline
Structural effects of bleaching on tetracycline-stained vital rat teeth (Arcuri) (Letter); (Ledoux) (Reply). 1986; 55:662
Texture
Porcelain surface texture after reduction and natural glazing (Zalkind et al). 1986; 55:30-3
Three-dimensional radiography
Three-dimensional radiographic study of the positional relationship of complete dentures: A pilot study (Bellagamba et al). 1986; 55:625-8

Tips from readers
Tips from our readers. 1986; 55:146-8, 280, 405-6, 529-30, 661
Tissue
Tissue displacement methods in fixed prosthodontics (Benson et al). 1986; 55:175-81
Tissue retraction for esthetic ceramometal crowns (Tebrock). 1986; 55:21-3
Titanium
A fixed prosthodontic technique for mandibular osseointegrated titanium implants (Loos). 1986; 55:232-42
TMJ; *see* Temporomandibular joint
Tomography
A tomographic study of mandibular condyle position in an asymptomatic population (Vincelli) (Letter); (Pullinger) (Reply). 1986; 55:149-50
Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular disorders (Pullinger et al). 1986; 55:723-9
Tooth; *see also* Denture; specific tooth
An improved method to maintain proper tooth relation while processing distal-extension denture bases (Garver et al). 1986; 55:140-1
Interalar width as a guide in denture tooth selection (Hoffman Jr et al). 1986; 55:219-21
Maxillary and mandibular teeth widths (Levin) (Letter). 1986; 55:150
Temporary replacement of missing maxillary incisors (Troendel et al). 1986; 55:277-9
Tooth denture-base bond
The effect of retention grooves in acrylic resin teeth on tooth denture-base bond (Cardash et al). 1986; 55:526-8
Tooth fracture; *see* Fracture
Toothbrush
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:744
Topical fluoride
The effect of topical fluoride application on porcelain restorations (Sposetti et al). 1986; 55:677-82
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:743
In vitro effect of topical fluoride on dental porcelain (Wunderlich and Yaman). 1986; 55:385-8
Transcranial temporomandibular joint radiography
Absorbed radiation doses in transcranial temporomandibular joint radiography (Saini et al). 1986; 55:621-4
Transosteal implant
Prefabricated coping-bar patterns for the mandibular transosteal staple bone plate implant (Pipko and Spanko). 1986; 55:92-6
The transosteal implant: A 17-year review and report (Cranin et al). 1986; 55:709-17
Transverse axis position
Effect of interocclusal records on transverse axis position (Pocklington) (Letter); (Garry) (Letter). 1986; 55:281-2
Trapping air
A method to eliminate trapping air in the palate while making impressions (Hansen). 1986; 55:405 (Tips)
Trauma
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; 55:78-82

U

Ultrasound
Removal of silver points and fractured posts by ultrasonics (Glick and Frank). 1986; 55:212-5
Using ultrasonic scalers to remove fractured root posts (Krell et al). 1986; 55:46-9

V

Vacuum
Effects of vacuum and pressure on accuracy, reproducibility, and surface finish of stone casts made from polyvinyl siloxane (Morford et al). 1986; 55:466-70
Variables
Influence of laboratory variables on the resin bond strength of an etched chrome-cobalt alloy (Dilorenzo et al). 1986; 55:27-30
Varnish
Report of Committee on Scientific Investigation of the American Academy of Restorative Dentistry (Phillips et al). 1986; 55:743-4
Volumetric shrinkage
Volumetric shrinkage of a porcelain suspended in wax technique (Schrader et al). 1986; 55:302-4

W

Wax
The four-step flow technique: A method for fabrication of wax patterns (Kaplan). 1986; 55:652-5
Predictable diastema reduction with filled resin: Diagnostic wax-up (Newitter). 1986; 55:293-6
Volumetric shrinkage of a porcelain suspended in wax technique (Schrader et al). 1986; 55:302-4
Waxing crowns using acrylic resin copings (Christensen and Burchett Jr). 1986; 55:280 (Tips)
Wire clasp; *see also* Clasp
Behavior of wrought wire clasps after repeated permanent deformation (Matheson et al). 1986; 55:226-31
Worn anterior teeth
Multiple cast post and cores for severely worn anterior teeth (Aquilino et al). 1986; 55:430-3
Wound
Maxillofacial prosthetic rehabilitation following self-inflicted gunshot wounds to the head and neck (Hickey). 1986; 55:78-82
Wrought wire clasp; *see also* Clasp
Behavior of wrought wire clasps after repeated permanent deformation (Matheson et al). 1986; 55:226-31

Z

Zinc oxide
Effect of zinc oxide–eugenol on shear bond strengths of selected core/cement combinations (Dilts et al). 1986; 55:206-8